INTERNATIONAL
MYCOLOGICAL INSTITUTE
28 NOV 1995

INDEX TO KEW BULLETIN
Volume 49

Principal references are indicated † and illustrations *

Abies 48
Acacia: Chromosome numbers in two African Acacia species, Phanuel O. Oballa & Patrick A.S. Olng'otie 107
Acacia 111, 182, 477, 701-703, 707, 709, 712-714
—— *arabica* 111
—— *farnesiana* 111
—— *gigantea* Noronha 204
—— *graveolens* Jack 204, 209
—— *heteracantha* (Burchell) Brenan 108
—— *horrida* (L.) Willd. 109
—— *karroo* Hayne 107, 109-111
—— *laeta* 109, 111
—— *mellifera* 111
—— *niopo* Llanos 199
—— *raddiana* (Savi) Brenan 108
—— *senegal* 107, 111
—— *spirocarpa* (A. Rich.) Brenan 108
—— *tenuispina* 111
—— *tortilis* 109, 110-111
—— —— (Forssk.) Hayne 107-109
—— —— subsp. *heteracantha* 109, 111
—— —— subsp. *raddiana* 109, 111
—— —— subsp. *spirocarpa* 109, 111
—— —— subsp. *tortilis* 109, 111
Acanthaceae: A new species of Pseudocalyx (Acanthaceae) from Liberia, F. J. Breteler 809
Acanthaceae 469-470, 618, 809
—— tribe *Acantheae* 401, 403-404, 409, 410, 412
—— *Odontoneminae* 470, 472
Acanthodochium Samuels, J.D. Rogers & Nagas 7, 9, 11, 13, 23, 27
—— sp. 11, 13
Acanthopsis 403-404
Acanthus 403-404
Acer 36
—— *Pseudoplatanus* 55
Acianthus 569, 573
Additional notes on Coffea (Rubiaceae) from tropical East Africa, Diane M. Bridson 331
Adenochilus 573
Aeollanthus 674
Aeschynomene: Two new taxa of Aeschynomene (Leguminosae: Papilionoideae) from Brazil, G.P. Lewis 93
Aeschynomene genistoides (Taub.) Rudd 93, 97
—— —— (Taub.) Rudd var. *latifoliola* G.P. Lewis †95, *96
Aeschynomene hintonii Sandw. 93
—— *martii* Benth. 93
—— *soniae* G.P. Lewis †93, *94
Africa: Ammania coccinea Rottb. (Lythraceae) in Africa , B. Verdcourt 510
Africa: Stachys nemorivaga: A neglected Stachys (Labiatae) from Africa, Yvette Harvey & Sebsebe Demissew 353
African: Chromosome numbers in two African Acacia species, Phanuel O. Oballa & Patrick A.S. Olng'otie 107
African: Cynanchum lenewtonii (Asclepiadaceae), a new leafless species from the African mainland, Sigrid Liede 119
African: Synopsis of the continental African species of Fernandoa (Bignoniaceae), Sally Bidgood 381
Aganonerion Pierre ex Spire 757, 759
Agaricus albuminosus Berk. 724, 728
—— *eurhizus* Berk. 724
—— *microcarpus* Berk. & Broome 732
—— *sparsibarbis* Berk. & Broome 724
Agave 66
Agnew, A. D. Q. *Reviewer:* Flora of Somalia, Volume 1 (Pteridophyta; Gymnospermae; Angiospermae (Annonaceae-Fabaceae)), by Mats Thulin (Ed.) 596
Agonandra brasiliensis Miers 505
Agrostistachys longifolia (Wright) Benth. ex Hook. f. 448
Aira gigantea Steud. 312
Aizoaceae: A new species of Trianthema (Aizoaceae) from Venezuela, Robert Wingfield & Mark Newman 115
Aizoaceae subfam. *Sesuvioideae* Lindley 115
Albizia 383, 406
Albuca: A curious new species of Albuca (Hyacinthaceae) from Saudi Arabia, B. Mathew & I.S. Collenette 125
Albuca 127
—— subgen. *Pallastema* 128
—— *abyssinica* Murray 125, 128
—— *pendula* B. Mathew †125, *126, 127-128
Alectroenas madagascariensis 628
Allen, Michael F.: Ecology of Mycorrhizae (Rev.) 159
Alliaceae: New species of Alliaceae & Hyacinthaceae from Turkey, Jill Cowley, Neriman Özhatay & Brian Mathew 481
Alliaceae 491
Allium: Notes on some infrageneric taxa in Allium L., Peter Hanelt & Reinhard Fritsch 559
Allium 495, 559-561
—— subgen. *Allium* 560
—— subgen. *Bromatorrhiza* Ekberg 562

Allium
—— subgen. *Caloscordum* 561
—— subgen. *Melanocrommyum* 561
—— subgen. *Rhizirideum* (G. Don ex Koch) Wendelbo 559-560
—— sect. *Anisopodia* Hanelt et al. ined. 560
—— sect. *Brevispatha* 560-561
—— sect. *Briseis* 561
—— sect. *Bromatorrhiza* 562
—— sect. *Caespitosoprason* 560
—— sect. *Caloscordum* (Herb.) R. M. Fritsch 560
—— sect. *Codonoprasum* Rchb. 481, 495, 560-561
—— sect. *Coleoblastus* Ekberg 562
—— sect. *Cyathophora* R. M. Fritsch 561-562
—— sect. *Haplostemon* 560
—— sect. *Rhizirideum* sensu stricto 560
—— sect. *Rhizomatosa* 560
—— sect. *Sacculiferum* P. P. Gritzenko 559, 561
—— sect. *Scorodon* 560
—— sect. *Tenuissima* (Tzagolova) Hanelt 560
—— sect. *Vvedenskya* 560
—— subsect. *Haemoprason* (F. Herm) Cheshm. 560
—— subsect. *Tenuissima* (Tzag.) Friesen 560
—— ser. —— Tzagolova 560
—— *baissunense* Lipsky 495
—— *caspium* (Pall.) M. Bieb 495
—— *chinense* G. Don 559, 560
—— *condensatum* Turcz. 495
—— *cyathophorum* Bur. & Franch. 562
—— —— Bur. & Franch. var. *farreri* Stearn 562
—— *flavum* subsp. *flavum* 495
—— —— L. subsp. *tauricum* (Besser ex Reichb.) Stearn 481, 483, 495
—— *fuscoviolaceum* Fomin 495
—— *komarovianum* Vved. 559
—— *melanantherum* Pančić 560
—— *neriniflorum* (Herb.) Baker 561
—— *nutans* L. 495
—— *rupestre* Steven 495
—— *sacculiferum* Maxim. 559
—— *siebeanum* Schultes & Schultes f. 495
—— *tenuissimum* L. 560
—— *thunbergii* G. Don sensu lato 559-560
—— *tubiflorum* Rendle 561
—— *turcicum* N. Özhatay & Cowley †481, *482, *488, 491-492, *494, 495
—— *virgunculae* F. Maek. & Kitam. 559-560
Almeida, S.M.: Flora of Savantwadi, Marashtra, India, Vols. 1 & 2 (Notice) 169
Alnus rubra 35
Aloaceae 422
Aloe 415, 418-419, 422-425
cameronii Hemsl. 418
—— *cheranganiensis* Carter & Brandham 424
—— *ciliaris* Haw. 424
—— *confusa* 416, 422
—— *cremnophila* Reynolds & P. R. O. Bally 415-419, 422, 424-426, 428
Aloe
—— *dawei* Berger 424
—— *elgonica* Bullock 424-425
—— *gilbertii* Sebsebe & Brandham 422
—— *gillettii* S. Carter 415, †417, 418, 422, 425-427
—— *gloveri* Reynolds & P. R. O. Bally 415, 418, 422, 425, 427
—— *hildebrandtii* Baker 415, 417-419, 422, 425, 427
—— *inermis* Forssk. 424
—— *jacksonii* Reynolds 415-419, 422, 424-427
—— sp. aff. nov. —— 418, 422, 427
—— *jucunda* Reynolds 415-416, 418, 424
—— *juvenna* Brandham & Carter 424
—— *kedongensis* Reynolds 424
—— *lateritia* Engl. 419
—— *megalacantha* Baker 417
—— *mutabilis* Pillans 425
—— *ngobitensis* Reynolds 424
—— *nyeriensis* Christian 424
—— *rabaiensis* Rendle 422
—— *retrospiciens* Reynolds & P. R. O. Bally 422
—— *omaliensis* W. Watson 424
—— *tewoldei* M. G. Gilbert & Sebsebe 416, 418, 422, 425, 427
—— *tororoana* Reynolds 416, 418
Aloes: A multidisciplinary study of relationships among the cremnophilous aloes of northeastern Africa, P. E. Brandham, S. Carter & T. Reynolds 415
Alstonia 759
Amanitaceae Roze 717
Amanitales Jülich 717
Amaryllidaceae 78
Ambrosia L. 414
Ammania coccinea Rottb. (Lythraceae) in Africa, B. Verdcourt 510
Ammannia 510
—— *aegyptiaca* Willd. 510
—— *coccinea* Rottb. †510
Ampelodesmos mauritanicus (Poir.) T. Durand & Schinz 21
Amphisphaerella 28, 31, 32
—— *celastri* S.B. Kale & S.V.S. Kale 46, 47
—— *diderma* (Schwein.) Cooke 31
Amphisphaeria Ces. & De Not. 8
Amphisphaeriaceae Eriksson & Hawksworth 8, 32
Anacolosa 812
Ancalanthus Balf. f. 473
Ancistrotermes 733
—— cf. *crucifer* 733, 735
—— *latinotus* Holmgren 728
Andeberg, Arne A.: Phylogeny and subgeneric classification of Cyclamen L. (Primulaceae) 455
Andersson, Lennart: Provisional Checklist of Neotropical Rubiaceae. Scripta Botanica Belgica 1. (Rev.) 160
Andes: Notes on Sporobolus & Bromus

Andes
(Gramineae) from the Andes, S. A. Renvoize 543
Andromeda 24
Angkalanthus: Delimitation of Angkalanthus (Acanthaceae: Justiceae) and the new genus Chorisochora, Kaj Vollesen 469
Angkalanthus Balf. f. 469-470, 472, †473, 474
—— sensu Dyer et al. 474
—— *oligophylla* Balf. f. 470, *471, †473, 474, 478
—— *paucifolius* Balf. f. 474
—— *transvaalensis* Meeuse 469-470, 472, 476
Anigozanthos 464
Anisopus: A revision of Anisopus N. E. Br. (Asclepidaceae: Marsdenieae), D. J. Goyder 737
Anisopus N. E. Br. 737-738, †739
—— *atesii* S. Moore 739-740, 743
—— *bicoronatus* (K. Schum.) N. E. Br. 740
—— *efulensis* (N. E. Br.) Goyder 737-740, †743, *745
—— *mannii* N. E. Br. 737-739, †740, *741, 743
—— *rostriferus* (N. E. Br.) Bullock 737, 739, 740, 743
Annona squamosa 38
Anogeissus latifolia 47
Anteremanthus 513
—— *hatschbachii* H. Rob. 513, 514
Anthostoma Nitschke 8, 42, 44-45, 52-53, 55-56
—— *adusta* 45
—— *amoenum* (Nitschke in Fuckel) Sacc. 53
—— —— (Nitschke) Sacc. 6, *13, 52
—— —— sensu Hawley 6, *13, 52, †53, 55
—— *alligoni* 45
—— *cubiculare* (Fr.) Nitschke 2, 48, 50-51
—— *decipiens* (Lam. & DC.) Nitschke 55-56
—— *leischhakii* (Auersw.) Höhn. 48
—— *melanotes* (Berk. & Broome) Sacc. 44, 55
—— *rhenanum* *14, 44, 52, 55
—— *schmidtii* Auersw. ex Nitschke 44
—— *stictoides* Ellis & Everh. 47
—— *vincensii* G. Arnaud 50
Anthostomella 5, 6, 9, 13, 31-32, 41-42, 44, 46, 51, 67
—— *adusta* *14, 44, 52, 55
—— *aracearum* Petrini & Dreyfuss 42
—— *arengae* 24
—— *calligoni* Frolov 46, 50, †51
—— —— sensu Petrini et al. 46
—— *caulicola* (Ces.) Sacc. 13
? —— —— (Ces.) Sacc. 11
—— *discophora* Syd. & P. Syd. 13, †29
—— *formosa* Kirschst. 42
—— *melanotes* *18, †42
—— *melnikii* 45
—— *mirabilis* (Berk. & Broome) Höhn. 11
Anthostomella
—— —— Speg. 11
—— —— (Berk. & Broome) Höhn. var. *bambusae* (Henn.) Rehm 13
—— —— f. *discophora* Syd. 13, 29
—— *spirilla* K.S. Panwar & S.J. Kaur 47
—— *sublimbata* 24
—— *tomicoides* *14, 41
—— *uda* (Pers.: Fr.) P.M.D. Martin 41
Antiaris 805
—— *toxicaria* 806
Apocynaceae: A revision of Urceola (Apocynaceae) in Thailand, David J. Middleton 757
Apocynaceae: A new combination in Epigynum (Apocynaceae), David J. Middleton 304
Apocynaceae 270, 739, 757, 759
—— subfam. *Apocynoideae* 757, 759
—— subfam. *Echitoideae* 757
—— tribe *Ecdysanthereae* 757
—— tribe *Echitideae* 757
—— tribe *Ichnocarpeae* 757, 759
—— tribe *Plumerieae* 757-758
—— subtribe *Ecdysanthereae* 757
—— subtribe *Parameriinae* 759
—— subtribe *Tabernaemontaneae* 757-758
—— subtribe *Urceolinae* 757
Aporostylis 573
—— *bifolia* 573
Araceae: New species of Araceae from Brunei, P. C. Boyce 793
Araceae: Gearum (Araceae) rediscovered, S. J. Mayo, J. Bogner & P. C. Boyce 785
Araceae: Scindapsus lucens (Araceae: Monsteroideae), a new species related to Scindapsus pictus, J. Bogner & P. C. Boyce 789
Araceae 785, 798
—— tribe *Spathicarpeae* 786
Arachnothera sp. 188
Araliaceae 618
Archidendron jiringa (Jack) Nielsen 190
? *Arenga* 27
? —— *saccharifera* 27
Argyroploce illepida Btlr. 190
Aristida 817
—— sect. *Aristida* Henrard 817
—— sect. *Chaetaria* 817
—— group *Rhabdatheron* Doell 817
—— *amazonensis* Longhi-Wagner †817, *818, 819
—— *ecuadoriensis* Henrard 819
—— *lanigera* 817, †819, *820
—— *torta* (Nees) Kunth 817, 819
Aristida (Poaceae): two new species from Brazil, Hilda Maria Longhi-Wagner 817
Arrabidaea 398
Arrojadoa: A new combination in Arrojadoa (Cactaceae), N.P. Taylor & U. Eggli 98
Arrojadoa Britton & Rose 98
—— *bahiensis* (P.J. Braun & E. Esteves

Arrojadoa
Pereira) N.P. Taylor & Eggli †98
Arthrochilus 570, 573
—— *dockrillii* 573
—— *huntianus* 573, 576
—— *sabulosus* 573
Arundinaria 11, 17
—— cf. *mirabilis* 11
—— sp. 11, 17
Arundo 23, 310-312
—— *donax* 311
—— *fastuosa* Willd. ex Steud. 312
—— *mauritanica* 21
—— *rugi* Molina 312
—— *saccharoides* (Humb. & Bonpl.) Poir. 312
—— *sagittaria* 311
—— *sagittata* (Aubl.) P. Beauv. 312
Asclepiadaceae: Cynanchum lenewtonii (Asclepiadaceae), a new leafless species from the African mainland, Sigrid Liede 119
Asclepiadaceae: A new species of Tylophoropsis (Asclepiadaceae), and notes on the genus, Sigrid Liede & Ulrich Meve 749
Asclepiadaceae: A revision of Anisopus N. E. Br. (Asclepidaceae: Marsdenieae), D. J. Goyder 737
Asclepiadaceae 119, 122, 478, 737, 739, 749
—— subfam. *Periplocoideae* 737
—— tribe *Asclepiadeae* 749, 754
Asclepioideae 754
Aspilia Thouars 515, 517
—— *decumbens* D. J. N. Hind †517, *518, 519
—— *hispidantha* H. Rob. 519
Asterocystidiaceae 7
Astrocystidiaceae 7, 32, 33
Astrocystis: Rosellinia & Astrocystis (Xylariaceae): new species and generic concepts, T. Læssøe & B.M. Spooner 1
Astrocystis 6-10, 14, 16-18, 21, 23-25, 28-29, 31, 33, 35-36
—— *amazonensis* Bat. & H. Maia 31
—— *bambusae* 10, †13, 14, *36
—— cf. —— 17
—— *capparidis* A.K. Kar & Maity 31
—— *cocoes* 11, †27, 28, *54
—— *hughesii* Læssøe & Spooner 10, †16, 23, *36
—— cf. —— 20, *43
—— *madeirensis* 10, †20, 21, *54
—— *mirabilis* Berk. & Broome 7, 8, 10, 14, 29, *36
—— *mycophila* (Fr.: Fr.) Teng 31
—— *palmarum* 11, †28, *54
—— —— sp. nov. 31
—— *sasae* 10, †20, *49
—— *smilacicola* 11, †25, *49
—— *sublimbata* 8, 10-11, 13, 16, 20-21, 23-25, 28, 44, *49
—— sp. *A* 10, †18
—— sp. *B* 11, †24

Astrosphaeriella
Astrosphaeriella Sydow 5, 7, 33
—— *stellata* (Pat.) Sacc. 33
—— sp. 27
Astrotheca 33
Aucoumea 609, 613, 618
—— *klaineana* Pierre 608
Auerswaldia 13
—— ? 17
—— *arengae* 13
—— *bambusicola* 17
? —— —— Speg. 17
Aulomyrcia 321
—— *cymosa* Berg 321-322
—— *venulosa* (DC.) Berg 322
Aylthonia *75, 76, *80, 81, 84, 86, 88-89
—— *blackii* (L.B. Smith) N.L. de Menezes 76
—— *damaziana* (Beauverd) N.L. de Menezes 76
—— *exscapa* (Mart.) N.L. de Menezes 76
—— *gentianoides* (Goeth. & Henr.) N.L. de Menezes 76
—— *leucopoda* (L.B. Smith) N.L. de Menezes 76
—— *luzulifolia* (Mart. ex Schult.) N.L. de Menezes 76
—— *macrantha* (Lem.) N.L. de Menezes 76
—— *rubra* (L.B. Smith)N.L. de Menezes 76
—— *tomentosa* (Mart.) N.L. de Menezes 76
—— *viscosissima* (Goeth. & Henrard) N.L. de Menezes 76

Babiana 477
Baccharis L. 511
Bahia: Notes on the Myrtaceae of the Pico das Almas, Bahia, Brazil, E. Nic Lughadha 321
Balslev, Henrik (Ed.): Neotropical Montane Forests. Biodiversity and Conservation. Abstracts from a Symposium at the New York Botanical Garden, June 21 - 26, 1993 (Notice) 597
Bambusa 10, 13, 66-67
—— Schreb. 433
—— *arundinacea* 20
—— *mitis* 21
—— *multiplex* 11
—— *spinosa* 67
—— *vulgaris* 11, 13
—— sp. 11, 13, 14
Bambusaceae 17
Banks, H. I. & Harley, M. M.: Pollen morphology of two new East African species of Fernandoa (Bignoniaceae) 391
Barbacenia *75, 76, 79, 81, 84, 86, 88-89
—— *aurea* L.B. Smith & Ayensu 76
—— *bibiriensis* L.B. Smith 76
—— *bishopii* L.B. Smith 76
—— *blanchetii* Goeth. & Henrard 76
—— *brasiliensis* Willd. 76
—— *chlorantha* L.B. Smith & Ayensu 76
—— *coccinea* Mart. ex Schult.f. 76

Barbacenia
—— *contasana* L.B. Smith & Ayensu 76
—— *coronata* P.F. Ravenna ex L.B. Smith & Ayensu 76
—— *culta* L.B. Smith & Ayensu 76
—— *curviflora* Goeth. & Henrard 76
—— *cyananthera* L.B. Smith & Ayensu 76
—— *flava* Mart. ex Schult.f. 76
—— *fragrans* Goeth. & Henrard 76
—— *fulva* Goeth. ex Henrard 76
—— *gardneri* Seubert 76
—— *glabra* Goeth. & Henrard 76
—— *glauca* Mart. ex Schult.f. 76
—— *globata* Goeth. & Henrard 76
—— *glutinosa* Goeth. & Henrard 76
—— *graciliflora* L.B. Smith 76
—— *graminifolia* L.B. Smith 76
—— *grisea* L.B. Smith 76
—— *ignea* Mart. ex Schult.f. 76
—— *involucrata* L.B. Smith 76
—— *irwiniana* (L.B. Smith) N.L. de Menezes 77
—— *itabirensis* Goeth. & Henrard 76
—— *latifolia* L.B. Smith & Ayensu 76
—— *lilacina* Goeth. & Henrard 76
—— *longiflora* Mart, 76
—— *mantiqueirae* Goeth. & Henrard 77
—— *markgrafii* Schulze-Menz 76
—— *minima* *75, 76, 80
—— *mollis* Goeth. & Henrard 76
—— *nana* L.B. Smith & Ayensu 76
—— *nanuzae* L.B. Smith & Ayensu 76
—— *nuda* L.B. Smith & Ayensu 77
—— *pallida* L.B. Smith & Ayensu 76
—— *plantaginea* L.B. Smith 77
—— *polyantha* Goeth. & Henrard 76
—— *pulverulenta* L.B. Smith & Ayensu 76
—— *rectifolia* L.B. Smith & Ayensu 76
—— *reflexa* L.B. Smith & Ayensu 76
—— *riedeliana* Goeth. & Henrard 76
—— *rubrovirens* Mart. 76
—— *salmonea* L.B. Smith & Ayensu 76
—— *saxicola* L.B. Smith & Ayensu 76
—— *schwackei* Goeth. & Henrard 76
—— *sellovii* Goeth. & Henrard 76
—— *sessiliflora* L.B. Smith 76
—— *trigona* Goeth. & Henrard 76
—— *umbrosa* L.B. Smith & Ayensu 76
—— *vandellii* Pohl ex Seubert 76
—— *williamsii* L.B. Smith 76
—— sp. 74, *80
Barbacenioideae 81, 84, 86
Barbaceniopsis *75, 76, 80, 84, 88
—— *boliviensis* (Baker) L.B. Smith 76
—— *culta* L.B. Smith & Ayensu 776
—— *humahuaquensis* Noher 76
—— *vargasiana* (L.B. Smith) L.B. Smith 76
Barleria L. 618
Basilicum Moench 674, 678, 689
Beard, J. S. & Ripley, Lura (Illustrator): Proteas of Tropical Africa (Rev.) 829
Becium Lindley 357, 689
Beentje, H. J.: A monograph of Ravenea (Palmae: Ceroxyloideae) 623

Beentje
Beentje, Henk *Reviewer:* Chamaedorea Palms. The Species and Their Cultivation, by Donald R. Hodel 165
Beiselia Forman 606, 609, 614
—— *mexicana* Forman 609
Bellevalia 485
—— *anatolica* B. Mathew & N. Özhatay †483, *484, 485, 491-492, 495
—— *gracilis* Feinbrun 483, 485, 496
—— *longistyla* (Miscz.) Grossheim 483, 485, 495
Bersama abyssinica 139
Betula 2, 36
Bidgood, Sally: Synopsis of the continental African species of Fernandoa (Bignoniaceae) 381
Bignonia ferdinandi Welw. 388
Bignoniaceae 396, 398
Biscogniauxia repanda (Fr.: Fr.) Kuntze 9
Blepharis 403-404
Blepharocalyx 326
—— *salicifolius* (Kunth) Berg †326
Bogner, J. & Boyce, P. C.: Scindapsus lucens (Araceae: Monsteroideae), a new species related to Scindapsus pictus 789
Bogner, J., Mayo, S. J. & Boyce, P. C.: Gearum (Araceae) rediscovered 785
Bonamica Vell. 261
—— *filiformis* Vell. 261, 276-277

Book Reviews & Notices:-
Acacias of South Australia. 2nd edition, by D.J.E. Whibley & D.E. Symon 377
Advances in Legume Systematics, part 4. The Fossil Record, by Patrick S. Herendeen & David L. Dilcher (Eds.) 585
Atlas of the vascular plants of the island of Newfoundland and of the island of Saint-Pierre-et-Miquelon, by Ernest Rouleau & Gisèle Lamoureux 168
The Bamboos of Sabah, by Soejatmi Dransfield 162
Basic list of species and commodity grouping, Final Version. PROSEA (Plant Resources of South-East Asia), by P.C.M. Jansen, R.H.M.J. Lemmens, L.P.A. Oyen, J.S. Siemonsma, F.M. Stavast & J.L.C.H.van Valkenburg (Eds.) 172
British Truffles. A. Revision of British Hypogeous Fungi, by D.N. Pegler, B.M. Spooner & T.W.K. Young 167
Catalogue of the Flowering Plants and Gymnosperms of Peru, by L. Brazo & J. L. Zarucchi 831
Chamaedorea Palms. The Species and Their Cultivation, by Donald R. Hodel 165
'Chinese' Wilson. A life of Ernest H. Wilson, 1876-1930, by Roy W. Briggs 581
Comparative External Pollen Ultrastructure of the Araceae and Putatively

Book Reviews

Related Taxa, by Michael H. Grayum 163

Concepts of Symbiogenesis. A Historical and Critical Study of the Research of Russian Botanists., by L. N. Khakina, L. Margules & M. McMenamin (Eds.) 370

Dye and tannin-producing plants. PROSEA (Plant Resources of South-East Asia), No. 3, by R. H. M. J. Lemmens & N. Wulijarni-Soetjipto (Eds.) 172

The Ecology of Mycorrhizae, by Michael F. Allen 159

Endocytosis, Exocytosis and Vesicle Traffic in Plants. Society for Experimental Biology, Seminar series 45, by C. R. Hawes, J. O. D. Coleman & D. E. Evans (Eds.) 176

The Ethnobotany of Aublet's Histoire des Plantes de la Guiane Françoise (1775). Monographs in Systematic Botany from the Missouri Botanical Garden Vol. 35, by Mark J. Plotkin, Brian M. Boom & Malorye Allison 174

The European Discovery of the Indian Flora, by Ray Desmond 161

The Family Rosaceae in India (Revisionary Studies on Some Genera) Volume 1, by K. M. Purohit & G. Panigrahi 837

A Field Guide to the Acacias of Kenya, by M. Coe, H. Beentje & R. Wise (illustrator) 582

A Field Guide to the Families and Genera of Woody Plants of Northwest South America (Colombia, Ecuador, Peru) with supplementary notes on herbaceous taxa., by Alwyn H. Gentry 369

Flora of Nigeria: Caryophyllales. Monographs in Systematic Botany from the Missouri Botanical Garden Vol. 34, by Shahina A. Ghazanfar 170

The Flora of Savantwadi, Maharashtra, India, Vols. 1 & 2, by S.M. Almeida 169

Flora of Somalia, Volume 1 (Pteridophyta; Gymnospermae; Angiospermae (Annonaceae-Fabaceae), by Mats Thulin (Ed.) 596

Food is where you find it. A guide to emergency food of the Western Pacific, by Lucy M. Cranwell, J.E. Green & A.W.B. Powell 169

Fungi of Europe: Investigation, Recording and Conservation, by D. N. Pegler, L. Boddy, B. Ing & P. M. Kirk 589

The genera of Umbelliferae: A nomenclator, by M. G. Pimenov & M. V. Leonov 592

The genus Allium - taxonomic problems and genetic resources. Proceedings of an International Symposium held at Gatersleben, June 11-13, 1991, by P. Hanelt, K. Hammer & H. Knüpffer (Eds.) 164

The genus Paederia L. (Rubiaceae-Paederieae): A. Multidisciplinary Study, by Christian Puff (Ed.) 374

A Guide to Temperate Myxomycetes. An English translation by A. Feest and Y. Burggraaf of De Nederlandse Myxomyceten, by N.E. Nannenga-Bremekamp 166

Icones Pleurothallidinarum VIII. Systematics of Lepanthopsis, Octomeria subgenus Pleurothallopsis, Restrepiella, Restrepiopsis, Salpistele and Teagueia. Addenda to Platystele, Porroglossum and Scaphosepalum (Orchidaceae), Monographs in Systematic Botany from the Missouri Botanical Garden Vol. 39, by Carlyle A. Luer 173

The Idea of Wilderness. From Prehistory to the Age of Ecology, by Max Oelschlaeger 373

Index to Clive Stace's New Flora of the British Isles, by R.G. Ellis 153

Index to plant chromosome numbers 1988 - 1989. Monographs in Systematic Botany from the Missouri Botanical Garden Vol. 40, by Peter Goldblatt & Dale E. Johnson (Eds.) 171

Introduction to the principles of plant taxonomy, second edition, by V. V. Sivarajan & N. K. B. Robson (Ed.) 175

Květena České Republiky 3, by Slavomil Hejný, & Bohumil Slavíc (Eds.) 171

Lauraceae: Nectandra. Flora Neotropica Monograph 60, by J. G. Rohwer 584

Lecythidaceae - Part II. The Zygomorphic-flowered New World Genera (Couroupita, Corythophora, Bertholletia, Couratari, Eschweilera, & Lecythis). With a Study of Secondary Xylem by Carl H. de Zeeuw, by Scott A. Mori, Ghillean T. Prance & Carl H. de Zeeuw 174

Letters on west Africa and the Slave Trade. Paul Erdmann Isert's journey to Guinea and the Carribean Islands in Columbia (1788). Fontes Historiae Africanae Series Varia VII, by Selena Axelrod Winsnes (Transl. & Ed.) 176

List of Vascular Plants of the British Isles, by D.H. Kent 15

Manual of Forest Fruits, Seeds, and Seedlings, by F.S.P. Ng 372

Manual of Vascular Plants of Northeastern United States and Adjacent Canada. Second Edition, by Henry A. Gleason & Arthur Cronquist 170

Molecular Plant Pathology, Vol. 1, by S. J. Gurr, M. J. McPherson & D. J. Bowles (Eds.) 584

Names in Current Use for Extant Plant Genera. Regnum Vegetabile 129. NCU-3, by W. Greuter, R. K. Brummitt, E. Farr, N. Kilian, P. M. Kirk & P. C. Silva 832

Book Reviews

Neotropical Montane Forests. Biodiversity and Conservation. Abstracts from a Symposium at the New York Botanical Garden, June 21 - 26, 1993, by Henrik Balslev (Ed.) 597

New Flora of the British Isles, by Clive Stace 153

The Orchid Paintings of Franz Bauer, by Joyce Stewart & William T. Stearn 595

Perspectives on Biodiversity: Case Studies of Genetic Resource Conservation and Development, by Christopher S. Potter, , Joel I. Cohen & Dianne Janczewski (Eds.)593

Plant Growth: interactions with nutrition and environment. Society for Experimental Biology, Seminar Series 43, by J.R. Porter & D.W. Lawlor (Eds.)174

The Planters of the English Landscape Garden: Botany, Trees, and the Georgics, by Douglas D.C. Chambers 582

The Plants of Mount Kinabalu 1. Ferns and fern allies., by B.S. Parris, R.S. Beaman & J.H. Beaman 374

The Proteas of Tropical Africa, by J. S. Beard & Lura Ripley (Illustrator) 829

A Provisional Checklist of Neotropical Rubiaceae. Scripta Botanica Belgica 1., by Lennart Andersson 160

A revision of the genus Mapania, by D.A. Simpson 376

Secondary Pollen Presentation. Form, Function and Evolution. Plant Systematics and Evolution Supplementum 6, by P. F. Yeo 836

The Tapetum. Cytology, function, Biochemistry and Evolution. Plant Systematics and Evolution Supplementum 7, by M. Hesse, E. Pacini & M. Willemse (Eds.) 835

Temperate Bamboo Quarterly Vol. 1, No. 1, March 1993, by A. & S. Turtle (Eds.) 598

Tropical Lichens: Their Systematics, Conservation and Ecology. Systematics Association Special Volume No. 43, by D.J. Galloway (Ed.) 170

The Usambara Mountains, NE. Tanzania: Phytogeography of the vascular plant flora. Acta Universitatis Upsaliensis. Symbolae Botanicae Upsaliensis XXIX: 3, by Svein Terje Iversen 172

Verbreitungsatlas der Farn- und Blütenpflanzen Kärntens, by Helmut Hartl, Gerhard Kniely, Gerfried H. Leute, Harald Niklfeld & Michael Perko 171

Wilson Popenoe. Agricultural Explorer, Educator, and Friend of Latin America, by Frederic Rosengarten, Jr. 175

Boraginaceae 478

Bornean: New species of, and notes on, Bornean Trigonostemon, Cleistanthus & Macaranga (Euphorbiaceae), Richard Milne 445

Boswellia 609, 613, 617-618

—— *rivae* Engl. 608

—— *socotrana* Balf.f. 609

Botryosphaeria Ces. & De Not. 31

Bowdichia virgilioides Kunth 502, 505

Bowringia 812

Boyce, P. C.: New species of Araceae from Brunei 793

Boyce, P. C. & Bogner, J.: Scindapsus lucens (Araceae: Monsteroideae), a new species related to Scindapsus pictus 789

Boyce, P. C., Mayo, S. J. & Bogner, J.: Gearum (Araceae) rediscovered 785

Boyce, P. C. & Poulsen, A. D.: Notes on Pothos insignis (Araceae: Pothoideae) 523

Brachystegia 702, 705-706

Brandham, P. E., Carter, S. & Reynolds, T.: A multidisciplinary study of relationships among the cremnophilous aloes of northeastern Africa 415

Brazil: Aristida (Poaceae): two new species from Brazil, Hilda Maria Longhi-Wagner 817

Brazil: Cratylia bahiensis (Leguminosae: Papilionoideae), a new species from Bahia, Brazil, Luciano Paganucci de Queiroz 769

Brazil: Mysanthus, a new genus in tribe Phaseoleae (Leguminosae: Papilionoideae) from Brazil, G.P. Lewis & A. Delgado Salinas 343

Brazil: New Compositae from the Serra do Grão Mogol (Mun. Grão Mogol, Minas Gerais, Brazil) and the surrounding area, D. J. N. Hind 511

Brazil: A new Croton variety of pharmacognostic significance from Eastern Brazil, A. Radcliffe- Smith 149

Brazil: A new species of Parapiptadenia (Leguminosae: Mimosoideae) from Brazil, G. P. Lewis 99

Brazil: Nomenclatural changes in Eriocaulaceae from Pico das Almas, Bahia, Brazil, A. M. Giulietti & L. R. Parra 444

Brazil: Notes on the Myrtaceae of the Pico das Almas, Bahia, Brazil, E. Nic Lughadha 321

Brazil: Structure and floristic composition of the trees of an area of cerrado near Cuiabá, Mato Grosso, Brazil, Germano Guarim Neto, Vera Lucia M. S. Guarim & Ghillean T. Prance 499

Brazil: Two new taxa of Aeschynomene (Leguminosae: Papilionoideae) from Brazil, G.P. Lewis 93

Brazo, L. & Zarucchi, J. L.: Catalogue of the Flowering Plants and Gymnosperms of Peru (Rev.) 831

Breteler
Breteler, F. J.: A new species of Pseudocalyx (Acanthaceae) from Liberia 809
Bridelia montana Wall. 618
—— *scleroneura* Muell. 618
Bridson, Diane M.: Additional notes on Coffea (Rubiaceae) from tropical East Africa 331
Bridson, Diane M.: A new species of Keetia (Rubiaceae-Vanguerieae) and notes on the Kayas of the Kenya coast 803
Bridson, Diane M. *Reviewer:* Genus Paederia L. (Rubiaceae-Paederieae): A. Multidisciplinary Study, by Christian Puff (Ed.) 374
Briggs, Roy W.: 'Chinese' Wilson. A life of Ernest H. Wilson, 1876-1930 (Rev.) 581
Brocchinia 74
Bromeliaceae 74, 77-79, 815
Bromeliiflorae 74, 78-79
Bromus: Notes on Sporobolus & Bromus (Gramineae) from the Andes, S. A. Renvoize 543
Bromus 545
—— *frigidus* Ball 545
—— —— Boiss. & Hausskn. 545
—— *lanatus* Kunth 545
—— *modestus* Renvoize †545
Brummitt, R.K. *Reviewer:* Index to Clive Stace's New Flora of the British Isles, by R.G. Ellis 153
Brummitt, R.K. *Reviewer:* List of Vascular Plants of the British Isles, by D.H. Kent 15
Brummitt, R.K. *Reviewer:* New Flora of the British Isles, by Clive Stace 153
Brunei: New species of Araceae from Brunei, P. C. Boyce 793
Burlemarxia 73, *75, *80, 81, 84, 86, 88
—— *pungens* N.L. de Menezes & Semir 76
—— *rodriguesii* N.L. de Menezes & Semir 76
—— *spiralis* (L.B. Smith & Ayensu) N.L.de Menezes & Semir 76
Burnettia cuneata 573
Bursera 609, 613, 618
—— *citronella* McVaugh & Rzed. 608
—— *glabra* (Jacq.) Tr. & Pl. 609
—— *graveolens* (H.B.K.) Tr. & Pl. 609
—— *kerberi* Engl. 608
Burseraceae: Rosselia, a new genus of Burseraceae from the Louisiade Archipelago, Papua New Guinea, L. L. Forman , R. W. J. M. van der Ham, M. M. Harley & T. J. Lawrence 601
Burseraceae 601-603, 606-607, 612, 614-615, 618-619
—— tribe *Bursereae* 609, 612-614, 618
—— tribe *Canarieae* 603, 607, 609, 612-614, 618-619
—— tribe *Protieae* 609, 612-614
Burtt, B. L. *Reviewer:* Genera of Umbelliferae: A nomenclator, by M. G. Pimenov & M. V. Leonov 592
Buxaceae
Buxaceae 398
Byrsonima coccolobifolia (Spreng.) Kunth 505
—— *crassifolia* (L.) Kunth 506

Cacalia dichroa Bong. 824
—— *pycnostachya* (DC.) Kuntze 514
—— *rosea* (Mart. ex DC.) Kuntze 514
—— *tomentella* (Mart. ex DC.) Kuntze 514
Cactaceae: A new combination in Arrojadoa (Cactaceae), N.P. Taylor & U. Eggli 98
Cactaceae tribe *Cereeae* 98
Caesalpinia: Studies in neotropical Caesalpinia (Leguminosae: Caesalpinioideae): A new species from Mexico, G.P. Lewis & J. L. Contreras 103
Caesalpinia coccinea G.P. Lewis & J.L. Contr. †103, *104, 105
—— *exostemma* DC. 103, 105
Caesalpinioideae tribe *Detarieae* 565
Caladenia 569, 573
—— *barbarossa* 576
Calamus 27, 66, 67
—— *emortuum* 67
Caleana 569, 573
—— *major* 573
Calligonum sp. 51
Callosciurus nigrovittatus (Horsfield) 190
Calochilus 569
Calomastia 25, 39
Caloscordum 561
—— *neriniflorum* Herb. 561
Calyptranthes 323, 325
—— *fasciculata* Berg 323-324
—— *longifolia* Berg 324
—— *speciosa* Sagot 324
Calyptrochilum christyanum 806
Calyptromyrcia Berg 321
—— subgen. *Aulomyrcia* 321
—— *cymosa* Berg 321-322
Campanulaceae: A new species of Cyananthus (Campanulaceae) from Yunnan, China, Krishna K. Shrestha 143
Camus, Josephine M. *Reviewer:* Plants of Mount Kinabalu 1. Ferns and fern allies., by B.S. Parris, R.S. Beaman & J.H. Beaman 374
Canarieae 607
—— subtribe *Canariinae* H.J. Lam 607
—— subtribe *Dacryodiinae* H.J. Lam 607
Canarium L. 606-607, 609, 613, 617
—— L. sect. *Canarium* 607
—— *littorale* Bl. f. *rufum* (Benn.) Leenh. 609
Carter, S., Brandham, P. E. & Reynolds, T.: A multidisciplinary study of relationships among the cremnophilous aloes of northeastern Africa 415
Castanea 50
Catopsis 292
The caveate pollen of Streptosiphon

Caveate pollen
hirsutus (Acanthaceae: Acantheae) and its taxonomic significance, Carol A. Furness 409
Cecropia membranacea Trécul 307
Cedrus libani 487
Celastrus paniculata 47
Cephalocroton socotranus 474
Ceranthus Schreb. 261
—— *corniculatus* Schreb. ex Eichler 262
—— *schreberi* J.F. Gmel. 261, 268
Ceratosphaeria mycophila Winter 32
Ceropegia sp. 806
Ceroxyleae 623, 627
Ceroxylon 627
Cerrado: Structure and floristic composition of the trees of an area of cerrado near Cuiabá, Mato Grosso, Brazil, Germano Guarim Neto, Vera Lucia M. S. Guarim & Ghillean T. Prance 499
Ceylon: Notes on some Eriocaulon species from Ceylon, Sylvia M. Phillips 287
Chambers, Douglas D.C.: Planters of the English Landscape Garden: Botany, Trees, and the Georgics (Rev.) 582
Chavannesia A. DC. 757-760
—— *esculenta* A. DC. 757
—— *lucida* (Wall. ex G. Don) A. DC. 757, 760
—— —— (Wall. ex G. Don) Kurz 757
—— —— A. DC. 762
Cheek, Martin: Pinguicula greenwoodii (Lentibulariaceae), a new butterwort from Mexico 813
Chenopodium ambrosioides L. 149
Chiloglottis 573
China: A new species of Cyananthus (Campanulaceae) from Yunnan, China, Krishna K. Shrestha 143
Chionanthus: A revision of Chionanthus (Oleaceae) in S. America and the description of Priogymnanthus, gen. nov., P.S. Green 261
Chionanthus L. †261, 270, 272, 280-281, 283
—— *apertus* B. Ståhl 261, 280, 283
—— *avilensis* (Steyerm.) P.S. Green †264, 284
—— *caribaea* Jacq. 262
—— *compacta* 268
—— *compactus* Sw. †262, 264, 266, 284
—— *confertus* B. Ståhl 270
—— *crassifolius* (Mart.) P.S. Green †273
—— —— var. *crassifolius* †273, 284
—— —— var. *elegans* (Eichler) P.S. Green †274, 284
—— *elegans* (Eichler) Lozano & Fuertes 274
—— *ferrugineus* (Gilg) P.S. Green †274,284
—— *filiformis* (Vell.) P.S. Green †276, 284
—— *fluminensis* 270, †278, 280-281, 283
—— *glomeratus* Bl. 266
—— *gorgonae* Lozano & Fuertes 262, 264
—— *guianensis* 264, †268, 270, 280, 284
—— *idroboi* Lozano & Fuertes 270-271
Chionanthus
—— *implicatus* (Rusby) P.S. Green †270, 284
—— *mandioccanus* (Eichler) Lozano & Fuertes 276
—— *mayepea* Vahl 268
—— *micranthus* (Mart.) Lozano & Fuertes †271, 283
—— *pubescens* Kunth †275, 284
—— *subsessilis* (Eichler) P.S. Green †272, 284
—— *tenuis* P.S. Green †277, *279, 281, 284
—— *tetrandra* Vahl 268
—— *trichotomus* 264, †266, 268, 284
—— *virginicus* L. 261
—— *wurdackii* B. Ståhl †275, 284
Chlorospatha 785
Chorisochora: Delimitation of Angkalanthus (Acanthaceae: Justiceae) and the new genus Chorisochora, Kaj Vollesen 469
Chorisochora Vollesen 472-473, †474, 475, 477-478
—— *minor* (Balf. f.) Vollesen 475, †476
—— *striata* (Balf. f.) Vollesen †475, 476, 478
—— *transvaalensis* (Meeuse) Vollesen 474-475, †476
Chromosome numbers in two African Acacia species, Phanuel O. Oballa & Patrick A.S. Olng'otie 107
Chrysalidocarpus humblotianus 656
—— *lanceolatus* 656
Chrysobalanaceae: Two new species of neotropical Chrysobalanaceae, G.T. Prance 359
Chrysobalanaceae 359
Chrysophyllum viridifolium 806
Chrysopogon: A new species of Chrysopogon (Gramineae) from Oman, T. A. Cope 533
Chrysopogon 535
—— *aucheri* (Boiss.) Stapf 533, 535
—— *macleishii* Cope †533, *534, 535
—— *orientalis* (Desv.) A. Camus 535
—— —— (Desv.) Stapf 533
—— *plumulosus* Hochst. 533, 535
—— *serrulatus* Trin. 533, 535
Chunechites Tsiang 758-759
Chusquea *43, 320
—— Kunth 431, 439
—— *cumingii* 24
—— *cummingii* 66
—— sp. 18
A cladistic analysis of the Velloziaceae, Nanuza L. de Menezes, Renato de Mello-Silva & Simon J. Mayo 71
Cladoceras subcapitata 806
Cleistanthus 450
—— *monocarpus* R. I. Milne †450, *451, 452
—— *pedicellatus* Hook. f. 450, †452
Clypeus 5
Cocos 27
—— *nucifera* 27-28, 67

Coe
Coe, M., Beentje, H. & Wise, R. (illustrator): Field Guide to the Acacias of Kenya (Rev.) 582
Coffea: Additional notes on Coffea (Rubiaceae) from tropical East Africa, Diane M. Bridson 331
Coffea 331-333, 340-341
—— *canephora* Froehner 340
—— *costatifructa* Bridson 336, *337, †338, 340
—— *fadenii* Bridson 331-332
—— *kapakata* (Chev.) Bridson 338, †340
—— *kimbozensis* Bridson †331, *332
—— *liberica* sens. lat. 333
—— *lulandoensis* Bridson †333, *334, 335
—— *mongensis* Bridson 331-332
—— *mufindiensis* 333-335
—— cf. —— Hutch. ex Bridson †334, 340
—— —— subsp. *mufindiensis* 333-335
—— *pocsii* Bridson †336, *337, 338, 340
—— *pseudozanguebariae* Bridson 340
—— sp. aff. nov. *racemosa* Lour. sensu Vollesen 338
—— *robusta* 36
—— *schliebenii* Bridson 335
—— —— Bridson †335, 336
—— *sessiliflora* sensu Anthony 335-336, 338, 340
—— —— subsp. *mwasumbii* Bridson 336, 338, 340
—— —— subsp. *sessiliflora* 336
—— *zanguebariae* sensu Berthaud et al. 336, 339
—— sp. 331
—— sp. *A* 331
—— sp. *C* 333
—— sp. *D* 335
—— sp. *E* 336
—— sp. *F* 338-340
—— sp. *G* 336, 338
—— sp. *J* 339-340
—— sp. *K* 339-340
Cola octoloboides 806
Collenette, I.S. & Mathew, B.: A curious new species of Albuca (Hyacinthaceae) from Saudi Arabia 125
Collodiscula I. Hino & Katum. 6, 9, †32, 33
—— *japonica* I. Hino & Katum. 32
Collybia albuminosa sensu Petch 724
Colophospermum 707
Combretum 701, 705, 710, 713
—— *schumannii* 806
Commelinaceae 815
Commiphora 417, 533, 609, 613, 618, 701-703, 707, 709, 712-714
—— *hildebrandtii* (Engl.) Engl. 608
—— *ornifolia* 474
Compositae: New Compositae from the Serra do Grão Mogol (Mun. Grão Mogol, Minas Gerais, Brazil) and the surrounding area, D. J. N. Hind 511
Compositae: A new combination in Graphistylis (Compositae), D. J. N. Hind 823
Compositae
Compositae 414, 511, 515
—— tribe *Eupatorieae* Cass. 511, 514
—— tribe *Heliantheae* Cass. 511, 515
—— tribe *Inuleae* Cass. 511
—— tribe *Senecioneae* 823-824
—— tribe *Vernonieae* Cass. 513-514
—— subtribe *Lychnophorinae* 513-514
Compositae: Senecioneae: Two new taxa of Solanecio (Compositae: Senecioneae) from Ethiopia, Mesfin Tadesse 137
Coniochaeta 5, 24, 32, 42, †57
—— *ligniaria* (Grev.: Fr.) Cooke *26, 57
Coniochaetaceae 57
Connarus suberosus Planch. 504, 506
Contreras, J. L. & Lewis, G.P.: Studies in neotropical Caesalpinia (Leguminosae: Caesalpinioideae): A new species from Mexico 103
Convolvulaceae 38
Coode, M.J.E. & Weibel, R.: Elaeocarpus for Flora Malesiana – notes, new taxa and combinations in sect. Elaeocarpus: 1 235
Copaifera langsdorffii Desf. 502
Cope, T. A.: A new species of Chrysopogon (Gramineae) from Oman 533
Cortaderia 307, 311
—— *argentea* (Nees) Stapf 320
—— *atacamensis* (Phil.) Pilg. 320
—— *columbiana* (Pilg) Pilg. 320
—— *jubata* (Lem.) Stapf 320
—— *modesta* (Doell) Hack. 320
—— *nitida* (Kunth) Pilg. 320
—— *pilosa* (D'Urv.) Hack. 320
—— *quila* (Nees & Mey.) Stapf 320
—— *richardii* (Endl.) Zotov 320
—— *rudiuscula* Stapf 320
—— *selloana* (Schult.) Aschers. & Graebn. 320
—— *speciosa* (Nees) Stapf 320
Corybas 569, 573
—— *unguiculatus* 573
Corycium: The genus Corycium (Orchidaceae) newly reported for Tanzania, Phillip Cribb & Hubert Kurzweil 555
Corycium Sw. 555-556
—— *dracomontanum* Parkman & Schelpe 555
—— *nigrescens* Sonder 555, †556
Corypha elata 67
Cournoyer, Benoit, Vivian, Alan *Reviewer:* Molecular Plant Pathology, Vol. 1, by S. J. Gurr, , M. J. McPherson & D. J. Bowles (Eds.) 584
Cowley, Jill, Özhatay, Neriman & Mathew, Brian: New species of Alliaceae & Hyacinthaceae from Turkey 481
Cranwell, Lucy M. , Green, J.E. & Powell, A.W.B.: Food is where you find it. A guide to emergency food of the Western Pacific (Notice) 169

Cratylia
Cratylia bahiensis (Leguminosae: Papilionoideae), a new species from Bahia, Brazil, Luciano Paganucci de Queiroz 769
Cratylia 769
—— *bahiensis* L. P. de Queiroz †769, *770, *771, 773
—— *hypargyrea* Mart. ex Benth. 773
—— *mollis* Mart. ex Benth. 769, 773
—— *nuda* Tul. 773
Crepidospermum 613-614, 617
—— *rhoifolium* (Benth.) Tr. & Pl. 608
Cribb, Phillip & Kurzweil, Hubert: The genus Corycium (Orchidaceae) newly reported for Tanzania 555
Crossandra 401, 403-405, 410, 412, 414
—— *friesiorum* Mildbr. 412
—— *horrida* Vollesen 412
—— *pungens* Lindau 412
—— *sulphurea* G. Taylor 412
Crossandrella 401, 403-405, 410, 412, 414
—— *dusenii* (Lindau) S. Moore 412
Croton: A new Croton variety of pharmacognostic significance from Eastern Brazil, A. Radcliffe- Smith 149
Croton 149
—— *elaeaginoides* 476
—— *regelianus* Muell. Arg. †149
—— var. *matosii* Radcl.-Sm. 149, 150
—— *regnellianus* Muell. Arg. 149
Crudia (Leguminosae: Caesalpinioideae), a new generic record for India with a new species of the genus, M. Sanjappa 565
Crudia 565
—— sect. *Eucrudia* de Wit 566
—— *balachandrae* Sanjappa †565, 566, *567
—— *gracilis* Prain 565-566
—— *velutina* Ridley 565-566
—— *zeylanica* (Bl.) Benth. 565
Cryptosphaeria 5, 42, †55, 56
—— *decipiens* (Lam. & DC.: Fr.) Læssøe & Spooner *19, †56
—— *eunomia* (Fr.: Fr.) Fuckel 18, 56
—— *millepunctata* Grev. 55
Cucurbitaceae 7
Curatella americana L. 502, 504-507
A curious new species of Albuca (Hyacinthaceae) from Saudi Arabia, B. Mathew & I.S. Collenette 125
Cussonia 805
Cyananthus: A new species of Cyananthus (Campanulaceae) from Yunnan, China, Krishna K. Shrestha 143
Cyananthus Wall. ex Benth. 143
—— *cronquistii* K.K. Shrestha †143, *144, 145-147
—— *hookeri* C.B. Clarke 143, 145-147
—— var. *grandiflorus* C. Marquand 143, 147
—— - var. *levicalyx* Y.S. Lian 143, 147
—— —— var. *levicaulis* Franch. 143, 147
Cyclamen: Phylogeny and subgeneric classification of Cyclamen L. (Primulaceae),
Cyclamen
Arne A. Andeberg 455
Cyclamen L. 455-457, 459, 461-465
—— subgen. *Cyclamen* 460-461, 463, 465
—— subgen. *Eucosme* Schwarz 460-461
—— subgen. *Gyrophoebe* Schwarz 460-461, 463, 465
—— subgen. *Psilanthum* Schwarz 460, 463, 465
—— ser. *Corticata* 460-461
—— ser. *Psilanthum* 461
—— ser. *Pubipedia* Schwarz 460-461
—— *africanum* Boiss. & Reut. 456, 460-465
—— *balearicum* Willk. 456, 460-461, 463, 465
—— *cilicium* Boiss. & Heldr. 456, 460-462, 465
—— *coum* Mill. 456, 460-462, 465
—— *creticum* 456, 460-461, 463, 465
—— *cyprium* Kotschy 456, 460-461, 463-465
—— *graecum* Link 456, 459-462, 464-465
—— *graecum* subsp. *anatolicum* 462
—— *hederifolium* Aiton 456, 460-465
—— × *hildebrandtii* Schwarz 463
—— *intaminatum* (Meikle) Grey-Wilson 456, 460-461, 465
—— *libanoticum* Hildebr. 456, 459-461, 463-465
—— *mirabile* Hildebr. 456, 459-461, 465
—— *parviflorum* 456, 460-461, 465
—— *persicum* Mill. 456, 459-462, 464-465
—— *pseudibericum* 459-461, 465
—— *purpurascens* Mill. 456, 459-462, 465
—— —— subsp. *ponticum* 459, 465
—— *repandum* 456, 460-461, 463, 465
—— —— subsp. *rhodense* Lepper 463
—— *rohlfsianum* Aschers. 456, 459-462, 464-465
—— *somalense* 461-462, 464-465
—— *trochopteranthum* 460-461, 464-465
—— × *wellensiekii* 463
Cymbidiella 661
Cymbidium atropurpureum 576
Cynanchum lenewtonii (Asclepiadaceae), a new leafless species from the African mainland, Sigrid Liede 119
Cynanchum 119, 122
—— *ampanihense* Choux 121
—— *Cynanchum decaisnianum* Descoings 121
—— *decaisnianum* Descoings var. *longicoronae* Liede 122
—— *gerardii* (Harvey) Liede 119
—— *gerrardii* 121-122
—— *lecomtei* Choux 121
—— *lenewtonii* Liede †119, 121
Cynometra suaheliensis 805-806
Cynopteris brachyotis Muller 188
Cyperus: A new species of Cyperus from Somalia, D.A. Simpson 365
Cyperus 67
—— sect. *Bobartia* (L.) C.B. Clarke 367
—— sect. *Rotundi* C.B. Clarke 367
—— *conglomeratus* Rottb. 367

Cyperus
—— *longus* L. 367
—— *mudugensis* D.A. Simpson †365, *366-367
—— *rotundus* L. 367
Cyrtostylis 573
—— *huegelii* 573
Cystopteris tennesseensis 109
Cytology of three new geophytes from Turkey, Margaret A. T. Johnson 491
Cytospora 52, 56

Dacryodes 613, 617
— Vahl 607, 609, 613
rostrata (Bl.) Lam 608
—— *rugosa* (Bl.) H.J. Lam. 606
Dactylaria leptosphaeriicola U. Braun & Crous †38
—— sp. *54
Dactylorhiza majalis 576, 461-462
purpurella 576
Daemonorops 67
Debregeasia ceylanica (Urticaceae): a change of status, C. M. Wilmot-Dear 468
Debregeasia ceylanica Hook. f. 468
—— *wallichiana* (Wedd.) Wedd. 468
—— —— (Wedd.) Wedd. subsp. *ceylanica* (Hook. f.) Wilmot-Dear †468
—— —— subsp. *wallichiana* 468
Decaryochloa A. Camus 438
Decaspermum parviflorum (Lam.) A.J. Scott 323, 325
Delimitation of Angkalanthus (Acanthaceae: Justiceae) and the new genus Chorisochora, Kaj Vollesen 469
Dematophora 7, 9, 33, 36
Dendrocalamus Nees 433
—— *latiflorus* 11, 13
—— *strictus* 11, 14, 17
Dendrophorbium 824
Desmond, Ray *Reviewer:* Planters of the English Landscape Garden: Botany, Trees, and the Georgics, by Douglas D.C. Chambers 582
Desmond, Ray: European Discovery of the Indian Flora (Rev.) 161
Dialium 383, 406
—— *holtzii* 806
Diaporthaceae 56
Diatrypaceae 52, 55
Diatrype Fr. 56
—— *adusta* Cooke & Peck 6, †44, 55
Dichapetalaceae: Four new species of neotropical Dichapetalaceae, G.T. Prance 129
Dichapetalaceae 129
Dichapetalum 133
—— *axillare* Woodson 131
—— *axillaris* 129
—— *bullatum* Standl. & Steyerm. 131, 133
—— *costaricense* Prance †129, *130
—— *grayumii* Prance †131, *132
—— *hammelii* 131, †133, *134, 136

Dichapetalum
—— *mexicanum* 133, 136
—— *nevermannianum* Standl. & Valerio 133
Dilleniaceae 502
Diospyros shimbaensis 806
Dipterocarpaceae 608
Disperis 556
Diuris 569
Dodecatheon L. 455, 457, 460, 462-463
Donacis arundinaceae 23
Dothideales 33
Dracaena 67
Drakaea 569, 573
Dransfield, John *Reviewer:* Manual of Forest Fruits, Seeds, and Seedlings, by F.S.P. Ng 372
Dransfield, Soejatmi: The genus Hickelia (Gramineae: Bambusoideae) 429
Dransfield, Soejatmi: Bamboos of Sabah (Rev.) 162

East African: Pollen morphology of two new East African species of Fernandoa (Bignoniaceae), M. M. Harley & H. I. Banks 391
Ecbolium 469-470, 472-474
—— *linneanum* 469
—— *striatum* Balf. f. 469-470, 472, 475
—— —— Balf. f. var. *minor* Balf. f. 469-470, 472, 476
Ecdysanthera Hook. & Arn. 757-760
—— *brachiata* A. DC. 763
—— *cambodiense* Pierre 763
—— *micrantha* (Wall. ex G. Don) A. DC. 758-759, 763
—— *napeensis* (Quint.) Pierre 764
—— *rosea* Hook. & Arn. 758, 760, 765
—— *utilis* Hayata & Kawakami 763
? *Echites lucida* Wall ex G. Don 762
—— *micrantha* Wall. ex G. Don 763
Edwards, Kate *Reviewer:* Proteas of Tropical Africa, by J. S. Beard & Lura Ripley (Illustrator) 829
Eggli, U. & Taylor, N.P.: A new combination in Arrojadoa (Cactaceae) 98
Elaeis 67
Elaeocarpaceae 235
Elaeocarpus for Flora Malesiana- notes, new taxa and combinations in sect. Elaeocarpus: 1, M.J.E. Coode & R. Weibel 235
Elaeocarpus L. 235, 246
—— sect. *Elaeocarpus* 237, 240-243, 245, 248-249
—— sect. *Ganitrus* 242
—— *acmosepalus* 237, 252
—— *acuminatus* Koord. & Val. 251
—— *beccarii* A. DC. †236, 237, 246
—— —— sens. lat. †236, 246
—— —— sensu Merrill non A. DC. 237
—— —— subsp. *beccarii* †236, 237
—— —— subsp. *nitens* (Knuth) Weibel †237, 240-241

Elaeocarpus
—— —— subsp. *sumatrana* 236-237
—— *brigittae* Coode †237
—— *calomala* complex †239
—— —— var. *calomala* †239, 240
—— —— var. *pustulatus* †239
—— —— var. *villosiusculus* 239, †240
—— *cordifolius* Coode 237, †240, 241, 246
—— *crassifolius* Ridley 237
—— *cumingii* 239
—— *dinagatensis* Mertrill †242
—— *dolichobotrys* 244
—— *domatiferus* Coode †257
—— *floribundus* 246
—— *foxworthii* 242
—— *fraseri* Coode †242, 243
—— *fusicarpus* Elmer 253
—— *gigantifolius* Elmer †243, 244
—— *glaber* 248
—— *homalioides* Schltr. †244, 255
—— *inopinatus* Coode †245, 246
—— *lasionyx* Stapf ex Ridley 252
—— *lawasii* Weibel 245-246
—— *longifolius* 246
—— —— Bl. var. *fusiformis* Corner 251
—— *macrocarpus* Miq. 243
—— *miriensis* Weibel †246
—— *mollis* 240, 254
—— *morowalensis* 256
—— *multisectus* 246-248
—— *mutabilis* Weibel 246
—— *nitens* Knuth 237
—— *nitidus* 242
—— *oliganthus* Merrill 254
—— *ovalis* Miq. 242
—— *oxyadenius* Warb. 236
—— *oxypyren* Koord. & Val. 251
—— *procerus* Aug. DC. 253
—— *pustulatus* Merr. 239
—— *rhizophorus* Koord. 255-258
—— *robustus* Roxb. 235, 242-243
—— —— var. *ovalis* Ridley 242
—— *royenii* Weibel †246, 247
—— *serratus* Bl. 251
—— *simaluensis* Weibel †248
—— *sordidus* Airy Shaw 252
—— *stipularis* Bl. 235, 246
—— *submonoceras* Miq. †249, 250
—— —— subsp. *collinus* 250, †253
subsp. *fusicarpus* 250, †253
—— —— subsp. *lasionyx* 250, †252, 253
—— —— subsp. *oliganthus* (Merrill) Coode 251, †254
—— —— subsp. *oxypyren* 250, †251
—— —— subsp. *procera* 250
—— —— subsp. *procerus* (Aug. DC.) Weibel †253
—— —— subsp. *submonoceras* †251
—— *subvillosus* 248
—— *teysmannii* 245, 254, †255, 256, 259
—— —— subsp. *domatiferus* 256-257
—— —— subsp. *laevilapis* Weibel 255-256, †257
—— —— subsp. *moluccensis* 257, †258

Elaeocarpus
—— —— subsp. *morowalensis* Coode †258
—— —— subsp. *rhizophorus* (Koord.) Coode 257, †258
—— —— subsp. *teysmannii* 256-258, †259
—— *valetonii* Hochr. 235
—— *villosiusculus* Warburg 240
—— subsp. *submonoceras* 250
Elettaria 67
Ellis, R.G.: Index to Clive Stace's New Flora of the British Isles (Rev.) 153
Elythranthera 569, 573
Emilia 824
Endopeltis 24
Endospermum sect. *Oblongi* *677
—— *leucosphaerus* 676, *677
—— *membranaceus* sensu Ayobangira 694
—— *tereticaulis* 677
—— *tubulascens* (Briq.) M. Ashby 695
Endostemon: A revision of Endostemon (Labiatae), Alan Paton, M . M. Harley, R. M. Harley & S. Weeks 673
Endostemon 673-674, 676, *677, 678, 680, 682, 684, †689
—— sect. *Diffusi* *675, 676, *677, *679, 680, 682, 684, 686, 691, 699
—— sect. *Endostemon* *675, 676, *677, *679, 680, 682, 684, 686, 689, †691
—— sect. *Eu-endostemon* M. Ashby 680, 691
—— sect. *Leucosphaeri* A. J. Paton, Harley & M. M. Harley *675, *677, 682, 684, 686, 690, †713
—— sect. *Oblongi* Ayob. ex A. J. Paton, Harley & M. M. Harley *675, 676, 680, 682, 684, 686, 691, †708
—— *albus* A. J. Paton, Harley & M.M. Harley 676, 689, 699-700, †704, 705
—— *angolensis* R.D. Good 693
camporum (Gürke) M. Ashby 676, 708, †709, 711
—— *ctenoneurus* R.M. Harley 673, 676, 699, †701
—— *dissitifolius* (Baker) M. Ashby *675, 676, *677, *679, 682, 684, 686, 691, 695, †696, 698
—— *ellenbeckii* (Gürke) M. Ashby 712
—— *friisii* Ayob. 673, 712
—— *glandulosus* Harley & Sebsebe 673, 676, 682, 699, 700, †707
—— *gracilis* (Benth.) M. Ashby 676, 679, 684, 699, †701, 702
—— *kelleri* (Briq.) Ryding 673, 709, †712
—— *leucosphaerus* (Briq.) A.J. Paton, Harley & M.M. Harley *675, *677, 678, 680, †713
—— *malosanus* 698
—— *membranaceus* (Benth.) Ayob. ex A.J. Paton & Harley 684, 691, †692, 693, 694
—— —— sensu Ayob. 696, 698
—— *obbiadensis* (Chiov.) M. Ashby 699-701, †702, 704
—— —— sensu Ayob. pro parte 704
—— —— sensu M.Ashby pro parte 704
—— *obtusifolius* N.E. Br. 673, 678, 680, 682, 686, 689, 691-693, 696

Endostemon
—— *ocimoides* Bremek. 711
—— *retinervis* (Briq.) M. Ashby 693
—— *scabridus* (Briq.) M. Ashby 693
—— *spectabilis* 680
—— *tenuiflorus* (Benth.) M. Ashby 676, 678, 682, 686, 699-700, †706, 707-708
—— *tereticaulis* (Poir.) M. Ashby *675, 676, 680, 686, 708-709, †711, 713
tomentosus R.M. Harley & Sebsebe 673, 676, 682, 708, †709
—— *tuberifer* R.D. Good 696
—— *tubulascens* 692, †695, 696
—— *usambarensis* 691, †698
—— *villosus* (Briq.) M. Ashby 696
—— *viscosus* (Roth) M. Ashby 689-699, 701, †703, 704
—— *wakefieldii* (Baker) M.Ashby 699-700, 704, †705
—— —— sensu Cufod. 701
Entoleuca Syd, 7, 34-35, 39
—— *callimorpha* Syd. 38-39
Entopeltis Höhn 24
Entosordaria spiralis E. Müll. 47
Eonycteris spelaea (Dobson) 188
Epiblema 569
Epigynum: A new combination in Epigynum (Apocynaceae), David J. Middleton 304
Epigynum 304, 759
—— *cochinchinensis* (Pierre) D.J. Middleton †304
Erechtites 824
Eremanthus Less. 514
Erianthus 66
Ericales 465
Eriocaulaceae: Nomenclatural changes in Eriocaulaceae from Pico das Almas, Bahia, Brazil, A. M. Giulietti & L. R. Parra 444
Eriocaulaceae 71, 287, 303, 444
Eriocaulon: Notes on some Eriocaulon species from Ceylon, Sylvia M. Phillips 287
Eriocaulon 287-288, 291, 293, 300-303, 444
—— sect. *Cristatosepalae* 289, 294, 297
—— sect. *Hirsutae* Fyson 289-290
—— sect. *Leucantherae* 301
—— *aquatile* Koern. f. *viviparum* Moldenke 444
—— *atratum* 303
—— —— Körn var. *major* Ruhland 287
—— *brownianum* 292, 297, 303
—— —— Mart. 289-292, 294
—— *capitis-naiadis* Hook.f. 300
—— *catopsioides* S.M. Phillips †292, 294
—— *ceylanicum* Körn. 287
—— —— Körn. 287
—— *cinereum* R. Br. 301, 303
—— *dalzellii* Körn. †297, †299, 300-303
– var. *glabratum* Moldenke 299
—— *ensiforme* C.E.C. Fischer 288, 290
—— *fergusonii* (Moldenke) S.M. Phillips 288, †294, 295-297
Eriocaulon
—— *fluviatile* Trimen †297, 298, †300, 301-303
—— *intermedium* Körn. 300
—— *longifolium* Nees ex Kunth 295-296
—— *modestum* Kunth 444
—— *philippo-coburgi* Wawra 287, 293-294
psammophilum S.M. Phillips †288, 289-291, 294, 303
—— *rivulare* Dalzell 299
—— *robustum* Steud. 289-290, 293-294
—— *setaceum* L. 300, 302
—— *sexangulare* L. 289, †295, 296-297, 303
—— —— L. var. *longifolium* (Kunth) Hook.f. 296
—— *sieboldianum* Steud. 301
—— *wallichianum* Mart. 295-296
wightianum sensu Thw. 288-289, 291-292, 303
—— *willdenovianum* Moldenke 291, 295, †296, 297, 303
var. *fergusonii* Moldenke 294
Eriochilus 569, 573
multiflorus 576
—— *scaber* 576
Eriosema: Hybridisation in Eriosema (Leguminosae: Phaseoleae) in Natal, South Africa, C. H. Stirton 529
Eriosema 529
cordatum E. Mey. 531
—— *parvifolium* E. Mey. 529
—— *preptum* C. H. Stirt. 531
—— × *provectum* C. H. Stirt. †529, *530
—— *salignum* E. Mey. 529, 531
—— × *woodii* C. H. Stirt. 529, †531
Erythrochlamys 678, 680, 682
—— *fruticosa* Ryding 678, 680
—— *leucosphaera* Briq. 673, 713
—— *spectabilis* *676, 678
Erythrophleum suaveolens 806
Erythrophysa 478
Erythroxylum sp. 506
Ethiopia: Two new species of Hyparrhenia (Gramineae) from Ethiopia, Sylvia M. Phillips 537
Ethiopia: Two new taxa of Solanecio (Compositae: Senecioneae) from Ethiopia, Mesfin Tadesse 137
Eu-Aulomyrcia Nied. 321
Euepixylon Füisting 6, 40-41, 52
udum (Pers.: Fr.) Læssøe & Spooner *13, †41, 46, 52-53
Euepyxilon —— 46
Eugenia 323-324
alpigena DC. 327
Eulaliopsis 10, 18
—— *binata* 18
Euphorbia yunnanensis subsumed, A. Radcliffe-Smith 330
Euphorbia 477, 703
– *duclouxii* H. Lév. †330
wallichii Hook. 330
yunnanensis Radcl.-Sm. 330
Euphorbiaceae: New species of, and notes

Euphorbiaceae
on, Bornean Trigonostemon, Cleistanthus & Macaranga (Euphorbiaceae), Richard Milne 445
Euphorbiaceae 260, 398, 448, 618
Euphorbiales 399
Eupixylon udum 52
Eustachys Briq. 353
Euterpe 67
Eutypa Tul. & C. Tul. 56
—— *decipiens* (Lam. & DC.) Tul. & C. Tul. 56
Eutypella (Nitschke) Sacc. 56
—— *cerviculata* (Fr.: Fr.) Sacc. 56
—— *sorbi* (Alb. & Schwein.: Fr.) Sacc. 56

Fagaceae 50
Fagus 53
Ferdinanda 382
Ferdinandi 382
—— *magnifica* (Seem.) Sprague 385
Ferdinandia 382
—— *adolfi-frederici* Gilg & Mildbraed 388
—— *ferdinandi* (Welw.) K. Schum. 385, 388
—— *mortehanii* De Wild. 388
—— *superba* 388
Ferdinandio 382
Ferdinandoa 382, 385
—— *superba* 388
Fernandia 382
—— *fernandi* 388
—— *superba* 388
Fernando, Edwino S.: New species of Pinanga (Palmae: Arecoideae) from Luzon Island, (Philippines) 775
Fernandoa: Pollen morphology of two new East African species of Fernandoa (Bignoniaceae), M. M. Harley & H. I. Banks 391
Fernandoa: Synopsis of the continental African species of Fernandoa (Bignoniaceae), Sally Bidgood 381
Fernandoa Seem. 381, †382, 391, 396, 398
—— *abbreviata* Bidgood 381, 383, *384, †386, 387-388, *393, 394, *395, 396, *397
—— *adolfi-friderici* (Gilg & Mildbraed) Heine 382-383, †388, *389, *393, 394, *395
—— *ferdinandi* (Welw.) K. Schum. 382, †388, *389, *393, 394, *395, 396
—— *lutea* 381, †383, *384, 386, *393, 394, 396
—— *magnifica* Seem. 381-382, *384, †385, 386, *393, 394, 396, *397
—— —— sensu Brenan & Greenway 386
—— —— Seem. var. *lutea* Verdcourt 381, 383, 388
—— *mortehanii* (De Wild.) Heine 390
—— *superba* Seem. 382, 388
Ferninandoa 382
Flora Malesiana: Elaeocarpus for Flora Malesiana - notes, new taxa and combinations in sect. Elaeocarpus: 1, M.J.E. Coode & R. Weibel 235

Floribunda
Floribunda Ritter 98
—— *bahiensis* P.J. Braun & E. Esteves Pereira 98
Forman , L. L., van der Ham, R. W. J. M., Harley, M. M. & Lawrence, T. J.: Rosselia, a new genus of Burseraceae from the Louisiade Archipelago, Papua New Guinea 601
Forrestiera 280-281, 283
Four new species of neotropical Dichapetalaceae, G.T. Prance 129
Four new species of Zygia (Leguminosae: Mimosoideae), M. de L. Rico 547
Fraxinus 36, 44
Freyeria Scop. 261
Fritsch, Reinhard & Hanelt, Peter: Notes on some infrageneric taxa in Allium L. 559
Fuckelia 6, †52, 53
—— *amoena* Nitschke 52, †53
—— —— Nitschke in Fuckel †53, 55
rhenana 53, †55
Fuerstia T.C.E. Fries 674, 678
Furness, Carol A.: The caveate pollen of Streptosiphon hirsutus (Acanthaceae: Acantheae) and its taxonomic significance 409
A further note on Pseudanthus tasmanicus Rodway, A. Radcliffe-Smith 260

Galloway, D.J. (Ed.): Tropical Lichens: Their Systematics, Conservation and Ecology. Systematics Association Special Volume No. 43 (Notice) 170
Garcinia sp. aff. *volkensii* 806
Garuga 609
—— 613
Gasteria 422
Gastrodia 569
Gearum (Araceae) rediscovered, S. J. Mayo, J. Bogner & P. C. Boyce 785
Gearum 785, 786
—— *brasiliense* N. E. Brown 785, †786, *787
Geniculosporium 6, 7, 9, 33, 36, 39, 41, 42
Genoplesium 573
Gentry, Alwyn H.: Field Guide to the Families and Genera of Woody Plants of Northwest South America (Colombia, Ecuador, Peru) with supplementary notes on herbaceous taxa. (Rev.) 369
The genus Corycium (Orchidaceae) newly reported for Tanzania, Phillip Cribb & Hubert Kurzweil 555
The genus Hickelia (Gramineae: Bambusoideae), Soejatmi Dransfield 429
The genus Streptosiphon (Acanthaceae: Acantheae), Kaj Vollesen 401
Ghazanfar, Shahina A.: Flora of Nigeria: Caryophyllales. Monographs in Systematic Botany from the Missouri Botanical Garden Vol. 34 (Notice) 170
Gigantochloa 66

Gigasiphon
Gigasiphon macrosiphon 806
Giulietti, A. M. & Parra, L. R.: Nomenclatural changes in Eriocaulaceae from Pico das Almas, Bahia, Brazil 444
Glaziophyton Franchet 431, 433
Gleason, Henry A. & Cronquist, Arthur: Manual of Vascular Plants of Northeastern United States and Adjacent Canada. Second Edition (Notice) 170
Gleditschia javanica 203
Glochidion andersonii Airy Shaw 452
Glossodia 569, 573
Goldblatt, Peter & Johnson, Dale E. (Eds.): Index to plant chromosome numbers 1988 - 1989. Monographs in Systematic Botany from the Missouri Botanical Garden Vol. 40 (Notice) 171
Gorgonidium 786
Goyder, D. J.: A revision of Anisopus N. E. Br. (Asclepidaceae: Marsdenieae) 737
Graderia 478
Gramineae 2, 11, 13, 17-18, 20, 24, 66, 67
—— subfam. *Arundinoideae* 310, 317, 318
—— subfam. *Chloridoideae* 318
—— subfam. *Panicoideae* 318
—— subfam. *Pooideae* 318
—— tribe *Andropogoneae* 10, 18
—— tribe *Arundineae* 23
—— tribe *Bambuseae* 10-11, 13, 17, 20-21, 23-24
—— subtribe *Arundinariinae* 11, 17, 20, 23-24
—— subtribe *Bambusinae* 11
—— subtribe *Hickelineae* A. Camus 438
—— subtribe *Melocanniae* 11
—— subtribe *Melocannineae* 438
—— subtribe *Nastinae* 438
—— subtribe *Saccharinae* 18
Graphistylis: A new combination in Graphistylis (Compositae), D. J. N. Hind 823
Graphistylis B. Nord. 823-824
—— *serranus* (Zardini) D. J. N. Hind †823
Grayum, Michael H.: Comparative External Pollen Ultrastructure of the Araceae and Putatively Related Taxa (Rev.) 163
Green, P.S. *Reviewer:* European Discovery of the Indian Flora, by Ray Desmond 161
Green, P.S.: A revision of Chionanthus (Oleaceae) in S. America and the description of Priogymnanthus, gen. nov. 261
Gregory, Mary *Reviewer:* Genus Allium - taxonomic problems and genetic resources. Proceedings of an International Symposium held at Gatersleben, June 11-13, 1991, by P. Hanelt, K. Hammer & H. Knüpffer (Eds.) 164
Greslania Balansa 431, 433, 438
Greuter
Greuter, W., Brummitt, R. K., Farr, E., Kilian, N., Kirk, P. M. & Silva, P. C.: Names in Current Use for Extant Plant Genera. Regnum Vegetabile 129. NCU-3 (Rev.) 832
Grevea 812
Grossulariaceae 398-399
Guadua 10, 17, 66
Guarim Neto, Germano, Guarim, Vera Lucia M. S. & Prance, Ghillean T.: Structure and floristic composition of the trees of an area of cerrado near Cuiabá, Mato Grosso, Brazil 499
Guarim, Vera Lucia M. S., Guarim Neto, Germano & Prance, Ghillean T.: Structure and floristic composition of the trees of an area of cerrado near Cuiabá, Mato Grosso, Brazil 499
Gurr, S. J, McPherson, M. J. & Bowles, D. J. (Eds): Molecular Plant Pathology, Vol. 1 (Rev.) 584
Guttiferae 502
Gymnema 739
Gymnosporia montana 47
Gynerium: One or more species of Gynerium ? (Poaceae), Risto Kalliola & Stephen A. Renvoize 305
Gynerium P. Beauv. 305-307, 309-311, †312, 317-318
- *arcuato-nebulosum* Carrière 320
—— *argenteum* Nees 320
—— *atacamense* Phil. 320
—— *columbianum* Pilg. 320
—— *dioicum* (Spreng.) Doell. 320
—— *jubatum* Lem. 320
—— *levyi* Fourn. 312
—— *modestum* Doell. 320
—— *nanum* Phil. 320
—— *neesii* Meyen 320
—— *nitidum* (Kunth) Pilg. 320
—— *parviflorum* Nees 312
—— *pilosum* (D'Urv.) Maclosk. 320
—— *procerum* P. Beauv. 312, 3320
—— *purpureum* Carr. 320
—— *pygmaeum* Meyen 320
—— *quila* Nees & Mey. 320
—— *ramosum* Hack. 320
—— *roseum* 320
rudiusculum (Stapf) Kuntze ex Stuck. 320
—— *saccharoides* Humb. & Bonpl. 312
—— *sagittatum* (Aubl.) P. Beauv. 305-306, 310, †312, 318
—— —— var. *glabrum* Renvoize & Kalliola 309, †314
—— —— var. *sagittatum* †314
—— —— var. *subandina* 309
—— —— var. *subandinum* Renvoize & Kalliola 314, †315
—— *speciosum* Nees 320
- *triaristatum* Sodiro 320
wolfii Sodiro 320
—— *zeelandicum* Steud. 320

Hadrotrichum
Hadrotrichum 7
Haemodoraceae 78, 464
Hanelt, P, Hammer, K. & Knüpffer, H. (Eds.): Genus Allium – taxonomic problems and genetic resources. Proceedings of an International Symposium held at Gatersleben, June 11-13, 1991 (Rev.) 164
Hanelt, Peter & Fritsch, Reinhard: Notes on some infrageneric taxa in Allium L. 559
Haplolobus H.J. Lam 607, 609, 613
Haplophragma 382, 398
Haplostephium Mart. ex DC. 513
—— *granmogolense* Duarte 513
—— *passerina* Mart. ex DC. 513
Harley, M . M., Paton, Alan, Harley, R. M. & Weeks, S.: A revision of Endostemon (Labiatae) 673
Harley, M. M. & Banks, H. I.: Pollen morphology of two new East African species of Fernandoa (Bignoniaceae) 391
Harley, M. M., Forman , L. L., van der Ham, R. W. J. M. & Lawrence, T. J.: Rosselia, a new genus of Burseraceae from the Louisiade Archipelago, Papua New Guinea 601
Harley, R. M., Paton, Alan, Harley, M . M. & Weeks, S.: A revision of Endostemon (Labiatae) 673
Harley, R.M.: Micromeria formosana from Taiwan: an Origanum 151
Harpullia Roxb. 619
Hartl, Helmut, Kniely, Gerhard, Leute, Gerfried H., Niklfeld, Harald & Perko, Michael: Verbreitungsatlas der Farn- und Blütenpflanzen Kärntens (Notice) 171
Harvey, Yvette & Sebsebe Demissew: Stachys nemorivaga: A neglected Stachys (Labiatae) from Africa 353
Hawes, C. R., Coleman, J. O. D. & Evans, D. E. (Eds.): Endocytosis, Exocytosis and Vesicle Traffic in Plants. Society for Experimental Biology, Seminar series 45 (Notice) 176
Haworthia 422
Hejný, Slavomil & Slavíc, Bohumil (Eds.): Květena České Republiky 3 (Notice) 171
Helicogermslita 6, †45, 46, 51
—— *celastri* (S.B. Kale & S.V.S. Kale) Lodha & D. Hawksw. 45-46, †47, 48, 50
fleischhakii (Auersw.) Læssøe & Spooner 2, *23, 46-47, †48, 51
—— *gaudefroyi* (Fabre) Læssøe & Spooner *13, 47, †50
—— *valdiviensis* (Speg.) Læssøe & Spooner †47
Helminthosphaeria Fuckel 32
Hemizygia (Benth.) Briq. 689
Hereenden, Patrick S., & Dilcher, David L. (Eds.): Advances in Legume Systematics, part 4. The Fossil Record (Rev.) 585
Hesse
Hesse, M., Pacini, E. & Willemse, M. (Eds.): Tapetum. Cytology, function, Biochemistry and Evolution. Plant Systematics and Evolution Supplementum 7 (Rev.) 835
Heterophragma DC. 396
—— *ferdinandi* (Welw.) Britten 388
—— *longipes* Bak. 385
—— *quadriloculare* (Roxb.) K. Schum. 396
—— *sulfureus* Kurz 396
Heuchera grossulariifolia 109
Hickelia: The genus Hickelia (Gramineae: Bambusoideae), Soejatmi Dransfield 429
Hickelia A. Camus 429, 436, †438, 439
—— *africana* S. Dransfield 429, 431, *432, 433, *434, 435-436, 439, †440, 441-442
- *alaotrensis* A. Camus 429, 439, †441, 442
- *madagascariensis* A. Camus 429, *430, 435-438, †439, 440-441
—— *perrieri* (A. Camus) S. Dransf. *437, 438-439, †441, 442
Himantochilus 469
Hind, D. J. N.: A new combination in Graphistylis (Compositae) 823
Hind, D. J. N.: New Compositae from the Serra do Grão Mogol (Mun. Grão Mogol, Minas Gerais, Brazil) and the surrounding area 511
Hirtella americana 359, 362
- *guatemalensis* 359, 362
—— *papillata* Prance †359, *360
Hodel, Donald R.: Chamaedorea Palms. The Species and Their Cultivation (Rev.) 165
Hoehnephytum 824
Homalomena Schott 793, 798, 801
sect. *Cyrtocladon* 799, 801
—— *lunduensis* Furtado 799, 801
—— *multinervia* Ridl. nom. illeg. 801
—— *vagans* P. C. Boyce †799, *800, 801
Hopkins, Helen C. Fortune: The Indo-Pacific species of Parkia (Leguminosae: Mimosoideae) 181
Hoslundia Vahl 674, 678
Hudson, H. J. *Reviewer:* Fungi of Europe: Investigation, Recording and Conservation, by D. N. Pegler, L. Boddy, B. Ing & P. M. Kirk 589
Hyacinthaceae: A curious new species of Albuca (Hyacinthaceae) from Saudi Arabia, B. Mathew & I.S. Collenette 125
Hyacinthaceae: New species of Alliaceae & Hyacinthaceae from Turkey, Jill Cowley, Neriman Özhatay & Brian Mathew 481
Hyacinthaceae 491
Hyacinthus 66
Hybridisation in Eriosema (Leguminosae: Phaseoleae) in Natal, South Africa, C. H. Stirton 529
Hylobates muelleri × *agilis* 189
—— *syndactylus* (Raffles) 189

Hymenaea

Hymenaea stignocarpa Mart. ex Hayne 502, 505-506
—— *verrucosa* 806
Hyparrhenia: Two new species of Hyparrhenia (Gramineae) from Ethiopia, Sylvia M. Phillips 537
Hyparrhenia 537, 540
sect. *Hyparrhenia* 537, 539
—— sect. *Pogonopodia* Stapf 540, 542
—— *anthistirioides* (Hochst. ex A. Rich) Stapf 539-540, 542
claytonii S. M. Phillips †540, *541, 542
coleotricha (Steud.) W. D. Clayton 537, 539-540
—— *confinis* (A. Rich.) Stapf 539-540
—— *dregeana* (Nees) Stent 542
—— *neglecta* S. M. Phillips †537, *538, 539-540
—— *niarensis* (Franch.) W. D. Clayton 539-540
—— *rudis* Stapf 542
—— *tamba* (Steud.) Stapf 542
—— *welwitschii* (Rendle) Stapf 539-540
Hypocopra 32
Hypoxidaceae 78
Hypoxylon 41, 66-67
—— sens. lat. 3
—— sect. *Annulata* 28
—— sect. *Entoleuca* (Syd.) P.M.D. Martin 34-35, 39
sect. *Papillata* subsect. *Primocinerea* J. H. Miller 34-35, 40
—— *bambusae* Gupta & Rajak 18
—— *bambusicolum* (Speg.) Speg. 17
—— var. *chusqueae* Pat. 18
—— *chrysoconium* Berk. & Broome 39
—— *chusqueae* Henn. 67
—— *confluens* (Tode: Fr.) Westend. 40
—— *congestum* (I. Hino & Katum.) Ahmad 16
coryphae Rehm 67
—— *culmorum* 10, 14, †17, 18, 20, 23-24, 27, *43
—— *foliicola* J.H. Miller 28
—— *fragillimum* (Rehm) J.H. Miller 67
—— *geasteroides* (Ellis & Everh.) P.M.D. Martin 11
—— *herrerae* Gonz. Frag. 67
—— *mammatum* (Wahlenberg) P. Karst. 38-39
—— *nummularioides* Rehm 18, 67
—— *nummularium* 67
—— *quisquiliarum* (Mont.) Mont. 47
—— *rubiginosum* 14
—— *sassafras* (Schwein.: Fr.) M.A. Curtis 32
—— *semiimmersum* 48
—— *smilacicolum* Howe 25
—— *spiralis* Pande 47
—— *sublimbatum* (Durieu & Mont.) P.M.D. Martin 21
—— *udum* (Pers.: Fr.) Fr. 40-41
Hyptis 674
—— sect. *Gymneia* 684

Ichnocarpus

Ichnocarpus R. Br. 759
India: Crudia (Leguminosae: Caesalpinioideae), a new generic record for India with a new species of the genus, M. Sanjappa 565
The Indo-Pacific species of Parkia (Leguminosae: Mimosoideae), Helen C. Fortune Hopkins 181
Inga 182
—— *pyriformis* Jungh. 204
—— *timoriana* DC. 198
Iridaceae 478
Iversen, Svein Terje: Usambara Mountains, NE. Tanzania: Phytogeography of the vascular plant flora. Acta Universitatis Upsaliensis. Symbolae Botanicae Upsaliensis XXIX: 3 (Notice) 172

Jacksonia 1
Jansen, P.C.M., Lemmens, R.H.M.J., Oyen, L.P.A., Siemonsma, J.S., Stavast, F.M. & Valkenburg, J.L.C.H.van (Eds.): Basic list of species and commodity grouping, Final Version. PROSEA (Plant Resources of South-East Asia (Notice) 172
Jatropha 533, 703
Jeffrey, Charles *Reviewer:* Concepts of Symbiogenesis. A Historical and Critical Study of the Research of Russian Botanists., by L. N. Khakina, L. Margules & M. McMenamin (Eds.) 370
Johnson, Margaret A. T.: Cytology of three new geophytes from Turkey 491
Juania 627
Julbernardia 805
—— *magnistipulata* 806
Juniperus 417, 713, 749
—— *excelsa* 127
Justicia 469

Kalliola, Risto & Renvoize, Stephen A.: One or more species of Gynerium ? (Poaceae) 305
Keetia: A new species of Keetia (Rubiaceae - Vanguerieae) and notes on the Kayas of the Kenya coast, Diane M. Bridson 803
Keetia 803
—— *carmichaelii* Bridson 803, 805
—— *koritschoneri* Bridson 803, 805
—— *lukei* Bridson †803, *804, 805
—— sp. *B* Bridson 805
—— sp. *C* Bridson 805
Kent, D.H.: List of Vascular Plants of the British Isles (Rev.) 15
Kenya: A new species of Keetia (Rubiaceae - Vanguerieae) and notes on the Kayas of the Kenya coast, Diane M. Bridson 803
Khakina, L. N., Margules, L. & McMenamin, M. (Eds.): Concepts of

Khakina
Symbiogenesis. A Historical and Critical Study of the Research of Russian Botanists. (Rev.) 370
Kielmeyera coriacea (Spreng.) Mart. 505
—— *rubriflora* Cambess. 505
Kigelia lanceolata sensu Dale, non Sprague 385
Kigelianthe 398
Kretzschmaria 3
Kretzschmariella 10
? —— Viégas 7
—— *guaduae* Viégas 7, 10, 17
? —— —— Viégas 17
Kurzweil, Hubert & Cribb, Phillip: The genus Corycium (Orchidaceae) newly reported for Tanzania 555

Labiatae: Stachys nemorivaga: A neglected Stachys (Labiatae) from Africa, Yvette Harvey & Sebsebe Demissew 353
Labiatae 357, 398, 678
—— subfam. *Nepetoideae* 678
—— tribe *Ocimeae* 673-674, 684, 689
—— subtribe *Hyptidinae* 674, 678
—— subtribe *Lamioideae* 353
—— subtribe *Ociminae* Briq. 674, 676, 678, 680, 689
—— subtribe *Plectranthinae* Briq. 674, 676, 678, 680
—— group *Acrocephalus* 674
—— group *Ocimum* 674
—— group *Orthosiphon* 674, 676, 678, 680, 684
Læssøe, T. & Spooner, B.M.: Rosellinia & Astrocystis (Xylariaceae): new species and generic concepts 1
Lafoensia pacari A. St. Hil. 504-506
Lamiales 399
Lannea welwitschii 806
Lantana camara 47
Lasiosphaeria Ces. & De Not. 32
Lauraceae 32
Lavelia albicans 631
Lawrence, T. J., Forman, L. L., van der Ham, R. W. J. M. & Harley, M. M.: Rosselia, a new genus of Burseraceae from the Louisiade Archipelago, Papua New Guinea 601
Leguminosae: Cratylia bahiensis (Leguminosae: Papilionoideae), a new species from Bahia, Brazil, Luciano Paganucci de Queiroz 769
Leguminosae 97, 502, 506
—— subfam. *Papilionoideae* 343, 812
—— tribe *Phaseoleae* 343
—— subtribe *Phaseolinae* 343
Leguminosae: Caesalpinioideae: Studies in neotropical Caesalpinia (Leguminosae: Caesalpinioideae): A new species from Mexico, G.P. Lewis & J. L. Contreras 103
Leguminosae: Mimosoideae: The Indo-Pacific species of Parkia (Leguminosae: Mimosoideae), Helen C. Fortune Hopkins 181
Leguminosae: Mimosoideae: A new species of Parapiptadenia (Leguminosae: Mimosoideae) from Brazil, G. P. Lewis 99
Leguminosae: Papilionoideae: Mysanthus, a new genus in tribe Phaseoleae (Leguminosae: Papilionoideae) from Brazil, G.P. Lewis & A. Delgado Salinas 343
Leguminosae: Papilionoideae: Two new taxa of Aeschynomene (Leguminosae: Papilionoideae) from Brazil, G.P. Lewis 93
Leleba multiplex 11
Lemmens, R. H. M. J. & Wulijarni-Soetjipto, N. (Eds.): Dye and tannin-producing plants. PROSEA (Plant Resources of South-East Asia), No. 3 (Notice) 172
Lentibulariaceae: Pinguicula greenwoodii (Lentibulariaceae), a new butterwort fom Mexico, Martin Cheek 813
Lentinus cartilagineus Berk. 724
Lepidotrichilia volkensii 139
Lepiota albuminosus (Berk.) Sacc. 730
Leporella 569, 573
Lessingianthus H. Rob. 514
—— *pycnostacyus* (DC.) H. Rob. 514
—— *roseus* (Mart. ex DC.) H. Rob. 514
—— *tomentellus* (Mart. ex DC.) H. Rob. 514
Lewis, G. P.: A new species of Parapiptadenia (Leguminosae: Mimosoideae) from Brazil 99
Lewis, G.P.: Two new taxa of Aeschynomene (Leguminosae: Papilionoideae) from Brazil 93
Lewis, G.P. & Contreras, J. L.: Studies in neotropical Caesalpinia (Leguminosae: Caesalpinioideae): A new species from Mexico 103
Lewis, G.P. & Salinas, A. Delgado: Mysanthus, a new genus in tribe Phaseoleae (Leguminosae: Papilionoideae) from Brazil 343
Liberia: A new species of Pseudocalyx (Acanthaceae) from Liberia, F. J. Breteler 809
Libertella 5, 56
Licania 362
—— subgen. *Licania* 362
—— sect. *Hymenopus* 362
—— *caudata* Prance 362
—— *conferruminata* Prance 359, *361, †362
—— *divaricata* Fritsch 362
—— *glabriflora* Prance 362
—— *latistipula* Prance 362
—— *miltonii* Prance 362
Liede, Sigrid: Cynanchum lenewtonii (Asclepiadaceae), a new leafless species from the African mainland 119

Liede
Liede, Sigrid & Meve, Ulrich: A new species of Tylophoropsis (Asclepiadaceae), and notes on the genus 749
Lindera 32
— *glauca* 32
— *triloba* 32
Linociera Sw. ex Schreb. 261
arborea Eichler 266
avilensis Steyerm. 266
compacta (Sw.) Roem. & Schult. 262
crassifolia Mart. 273
— *elegans* Eichler 274
— *ferruginea* Gilg 274
— *glaziovii* Gilg 266
— var. *lanceolata* Gilg 267
— *glomerata* Pohl 266-267
— *hassleriana* 261. 281
— *ligustrina* (Sw.) Sw. 261
mandioccana Eichler 276-277
— *micrantha* Mart. 271
pubescens (Kunth) Eichler 275
— *santamartensis* Camp & Monachino 262, 264
subsessilis Eichler 272
— *tetrandra* (Vahl) Roem. & Schult. 268
Litsea glauca 32
Livistona 28
Lock, J.M. *Reviewer:* Provisional Checklist of Neotropical Rubiaceae. Scripta Botanica Belgica 1., by Lennart Andersson 160
Longhi-Wagner, Hilda Maria: Aristida (Poaceae): two new species from Brazil 817
Lopadostoma (Nitschke) Traverso 6, †51, 52
— *amoenum* 53
— — (Nitschke in Fuckel) Shear 53
— *cubiculare* (Fr.) P.M.D. Martin 48
— *gastrinum* (Fr.: Fr.) Traverso 5, 44, 52
— *ostropoides* (Rehm) P.M.D. Martin 47
— *turgidum* (Pers.: Fr.) Traverso 5, *18, 51-52
Louvelia Jum. & H. Perrier 624, 626, 629-631
albicans 631, 663
— *lakatra* 631
— *madagascariensis* Jum. & H. Perrier 624, 630-631, 664
Lucas, G. Ll. *Reviewer:* Idea of Wilderness. From Prehistory to the Age of Ecology, by Max Oelschlaeger 373
Luehea paniculata Mart. 505
Luer, Carlyle A.: Icones Pleurothallidinarum VIII. Systematics of Lepanthopsis, Octomeria subgenus Pleurothallopsis, Restrepiella, Restrepiopsis, Salpistele and Teagueia. Addenda to Platystele, Porroglossum and Scaphosepalum (Orchidaceae). Monographs in Systematic Botany from the Missouri Botanical Garden Vol. 39.(Notice) 173
Lychnophora Mart. 513-514
— *blanchetii* 513
Lychnophora
— *granmogolensis* (Duarte) D. J. N. Hind †513
— *passerina* 513
— *phylicifolia* DC. 513
— *ramosissima* Gardner 513
— *subulata* Gardner 513
Lyperanthus 569, 573
— *nigricans* 569
— *suaveolens* 569
Lythraceae 510

Macaca fascicularis (Raffles) 189
Macaranga 453
— *calcicola* 453-454
— var. *calcifuga* Whitmore 453-454
— *calcifuga* (Whitmore) R. I. Milne †453
— *hullettii* 454
— *indistincta* Whitmore 453-454
— *trachyphylla* 454
Macroglossinae 188
Macroglossus 188
Macrolepiota Singer 730
Macroptilium (Benth.) Urban 343, 349
Macrotermes 722, 728, *731
— *falcifer* 722
— *gilvus* Hagen 724, 728, *731
Magonia pubescens A. St. Hil. 505
Malpighiaceae 502
Marsdenia 737, 739
— *batesii* S. Moore 740
bicoronata K. Schum 740, 742
— *efulensis* N. E. Br. 737, 743
rhynchogyna K. Schum 740, 742-743
rostrifera N. E. Br. 740
Marsdenieae 737, 749, 754
Mascarocoffea 333
Massaria Fleischhakii Awd. 48
Mathew, B. & Collenette, I.S.: A curious new species of Albuca (Hyacinthaceae) from Saudi Arabia 125
Mathew, Brian, Cowley, Jill & Özhatay, Neriman: New species of Alliaceae & Hyacinthaceae from Turkey 481
Maunder, M. *Reviewer:* Perspectives on Biodiversity: Case Studies of Genetic Resource Conservation and Development, by Christopher S. Potter, Joel I. Cohen & Dianne Janczewski (Eds.) 593
Mayepea 261
— *caribaea* (Jacq.) Kuntze 262
— *crassifolia* (Mart.) Kuntze 273
— *elegans* (Eichler) Kuntze 274
— *guianensis* Aubl. 261, 268
hassleriana Chodat 281
— *implicata* Rusby 270
— *mandioccana* (Eichler) Kuntze 276
— *micrantha* (Mart.) Kuntze 272
— *pohliana* Kuntze 266
Mayo, S. J., Bogner, J. & Boyce, P. C.: Gearum (Araceae) rediscovered 785
Mayo, Simon J., Menezes, Nanuza L. de &

Mayo
Mello-Silva, Renato de: A cladistic analysis of the Velloziaceae 71
Mayo, Simon *Reviewer:* Comparative External Pollen Ultrastructure of the Araceae and Putatively Related Taxa, by Michael H. Grayum 163
Megalochlamys 470, 472-474
Megapis dorsata 188
Melanomma 48
Mello-Silva, Renato de, Menezes, Nanuza L. de & Mayo, Simon J.: A cladistic analysis of the Velloziaceae 71
Mendoncia 809
Menezes, Nanuza L. de , Mello-Silva, Renato de & Mayo, Simon J.: A cladistic analysis of the Velloziaceae 71
Mesanthemum 303
—— *radicans* (Benth.) Körn. 291
Mesfin Tadesse,: Two new taxa of Solanecio (Compositae: Senecioneae) from Ethiopia 137
Meve, Ulrich & Liede, Sigrid: A new species of Tylophoropsis (Asclepiadaceae), and notes on the genus 749
Mexico: Pinguicula greenwoodii (Lentibulariaceae), a new butterwort fom Mexico, Martin Cheek 813
Mexico: Studies in neotropical Caesalpinia (Leguminosae: Caesalpinioideae): A new species from Mexico, G.P. Lewis & J. L. Contreras 103
Micrechites Miq. 759
—— *napeensis* Quint. 764-765
Micromeria formosana from Taiwan: an Origanum, R.M. Harley 151
Micromeria Benth. 151
—— *formosana* Marquand 151
Microtis 569, 573
atrata 573
Middleton, David J.: A new combination in Epigynum (Apocynaceae) 304
Middleton, David J.: A revision of Urceola (Apocynaceae) in Thailand 757
Mikania Willd. 514-515
—— sect. *Thrysigerae* B. L. Rob. 515
—— *glabra* D. J. N. Hind †515, *516
—— *glauca* Mart. ex Baker 515
—— *obtusa* DC. 515
—— *pachycheta* (Baker) G. M. Barroso 515
—— *reticulata* Gardner 515
—— *warmingii* Sch. Bip. ex Baker 515
Milicia 383, 406
Milne, Richard: New species of, and notes on, Bornean Trigonostemon, Cleistanthus & Macaranga (Euphorbiaceae) 445
Mimosa 182
—— *biglobosa* sensu auct. 198
—— *grandiflora* 196
—— *pedunculata* Roxb. 196, 198, 204
—— *peregrina* Blanco 199
Minuta Vell. 261
—— *trichotoma* Vell. 266
—— *trichotonia* Vell. 261
Monograph
A monograph of Ravenea (Palmae: Ceroxyloideae), H. J. Beentje 623
Montiniaceae 812
Mori, Scott A., Prance, Ghillean T. & de Zeeuw, Carl H.: Lecythidaceae - Part II. The Zygomorphic-flowered New World Genera (Couroupita, Corythophora, Bertholletia, Couratari, Eschweilera, & Lecythis). With a Study of Secondary Xylem of Neotropical Lecythidaceae by Carl H. de Zeeuw (Notice) 174
Muehlenbeckia axillaris (Hook.f.) Endl. 260
Multicellular trichomes in tribe Diurideae (Orchidaceae): systematic and biological significance, Alec M. Pridgeon 569
A multidisciplinary study of relationships among the cremnophilous aloes of northeastern Africa, P. E. Brandham, S. Carter & T. Reynolds 415
Muscari 487, 489, 491, 496
anatolicum Cowley & N. Özhatay †485, *486, 489, 491-492, 495-497
—— *armeniacum* Leichtlin ex Baker 496
—— *aucheri* (Boiss.) Baker 496
—— *discolor* Boiss. & Hausskn. 485, 489, 491, 495, 497
—— *neglectum* Guss. 485, 487, 489, 496
Mussidia pecticornella Hamps. 190
Myconeesia 6, 42, 44
Mycotheca universalis 23
Myoporaceae 398
Myrceugenia 326-327
—— *alpigena* (DC.) Landrum 326, †327
—— —— var. *alpigena* 327
—— —— var. *longifolia* 327
Myrcia 321-325
—— sect. *Aulomyrcia* 322
—— sect. *Calyptromyrcia* 321
—— sect. *Rugosae* 322
—— *albotomentosa* Cambess. 504, 506
—— *aliena* McVaugh 324
—— *almasensis* Nic Lughadha †322, 324
—— *capitata* Berg 322
—— *cymosa* (Berg) Niedenzu 321-322, †322
—— *guianensis* (Aubl.) DC. 322
—— *imperfecta* 324
—— *myriantha* 324
—— *venulosa* DC. 322
—— sp. aff. nov. —— 322
Myrtaceae: Notes on the Myrtaceae of the Pico das Almas, Bahia, Brazil, E. Nic Lughadha 321
Myrtaceae 321, 323, 325, 328, 502
Myrtus rigida Berg 325
Mysanthus G.P. Lewis & A. Delgado 343
Mysanthus, a new genus in tribe Phaseoleae (Leguminosae: Papilionoideae) from Brazil, G.P. Lewis & A. Delgado Salinas 343
—— *uleanus* *344, †*345
—— —— var. *dolicopsoides* (Hoehne) G.P. Lewis & A. Delgado †351
—— —— var. *uleanus* †349

Nannenga-Bremekamp

Nannenga-Bremekamp, N.E.: Guide to Temperate Myxomycetes. An English translation by A. Feest and Y. Burggraaf of De Nederlandse Myxomyceten (Rev.) 166
Nanuza *75, 79, *80, 86, 88
—— *plicata* (Mart.) L.B. Smith & Ayensu 77, 81
Narcissus 66
Nastus Juss. 438, 439
— *productus* (Pilger) Holttum 431
Nautochilus (Bremek.) Codd 674
Nemania 7, 17, 32, 34-35, 39, 41
—— sect. *Primocinerea* 35
—— *confluens* (Tode: Fr.) Læssøe & Spooner 31, †40, 41, 46
—— cf. —— 50
—— *effusa* (Nitschke) Pouzar 40
—— *serpens* (Pers.: Fr.) Gray 39-41
Neotropical: Four new species of neotropical Dichapetalaceae, G.T. Prance 129
Neotropical: Studies in neotropical Caesalpinia (Leguminosae: Caesalpinioideae): A new species from Mexico, G.P. Lewis & J. L. Contreras 103
Neotropical: Two new species of neotropical Chrysobalanaceae, G.T. Prance 359
Nestegis 270, 280
A new combination in Arrojadoa (Cactaceae), N.P. Taylor & U. Eggli 98
A new combination in Epigynum (Apocynaceae), David J. Middleton 304
A new combination in Graphistylis (Compositae), D. J. N. Hind 823
New Compositae from the Serra do Grão Mogol (Mun. Grão Mogol, Minas Gerais, Brazil) and the surrounding area, D. J. N. Hind 511
A new Croton variety of pharmacognostic significance from Eastern Brazil, A. Radcliffe-Smith 149
New species of Alliaceae & Hyacinthaceae from Turkey, Jill Cowley, Neriman Özhatay & Brian Mathew 481
New species of Araceae from Brunei, P. C. Boyce 793
A new species of Chrysopogon (Gramineae) from Oman, T. A. Cope 533
A new species of Cyananthus (Campanulaceae) from Yunnan, China, Krishna K. Shrestha 143
A new species of Cyperus from Somalia, D.A. Simpson 365
A new species of Keetia (Rubiaceae — Vanguerieae) and notes on the Kayas of the Kenya coast, Diane M. Bridson 803
A new species of Parapiptadenia (Leguminosae: Mimosoideae) from Brazil, G. P. Lewis 99
New species of Pinanga (Palmae: Arecoideae) from Luzon Island, (Philippines), Edwino S. Fernando 775

New species

A new species of Pseudocalyx (Acanthaceae) from Liberia, F. J. Breteler 809
A new species of Trianthema (Aizoaceae) from Venezuela, Robert Wingfield & Mark Newman 115
A new species of Tylophoropsis (Asclepiadaceae), and notes on the genus, Sigrid Liede & Ulrich Meve 749
New species of, and notes on, Bornean Trigonostemon, Cleistanthus & Macaranga (Euphorbiaceae), Richard Milne 445
Newman, Mark & Wingfield, Robert: A new species of Trianthema (Aizoaceae) from Venezuela 115
Newtonia paucijuga 805-806
Ng, F.S.P.: Manual of Forest Fruits, Seeds, and Seedlings (Rev.) 372
Nic Lughadha, E.: Notes on the Myrtaceae of the Pico das Almas, Bahia, Brazil 321
Nodulisporium 6, 42
Nomenclatural changes in Eriocaulaceae from Pico das Almas, Bahia, Brazil, A. M. Giulietti & L. R. Parra 444
Notes on Pothos insignis (Araceae: Pothoideae), P. C. Boyce & A. D. Poulsen 523
Notes on some Eriocaulon species from Ceylon, Sylvia M. Phillips 287
Notes on some infrageneric taxa in Allium L., Peter Hanelt & Reinhard Fritsch 559
Notes on Sporobolus & Bromus (Gramineae) from the Andes, S. A. Renvoize 543
Notes on the Myrtaceae of the Pico das Almas, Bahia, Brazil, E. Nic Lughadha 321
Nothoscordum 561
—— *neriniflorum* (Herb.) Benth. & Hook. 561
Nouettea 304, 759
—— *cochinchinensis* Pierre 304
Nummularia dryophila Tul. & C. Tul. 51
—— *fragillima* Rehm 67
—— *luzonensis* Yates sp. nov. 18
—— *reyesiana* Rehm 18
Nypa 184
—— *fruticans* Wurmb. 28

Oballa, Phanuel O. & Olng'otie, Patrick A.S.: Chromosome numbers in two African Acacia species 107
Obolarina Pouzar 5, †51
—— *dryophila* (Tul. & C. Tul.) Pouzar 2, *23, 51
Ochlandra Thwaites 438
Ochna sp. nov. 806
Ocimum L. 673, 674
—— sensu Baker 689
—— *camporum* Gürke 709

Ocimum
—— *corchorifolium* Hochst. ex Baker nom. nud. 711
—— *dafurense* Schweinf. ex Baker nom. nud. 711
—— *depauperatum* Vatke 707
—— *diffusum* Benth. 704
—— *gracile* Benth 701
—— *hirsutum* 704
—— *laxiflorum* Baker 693
—— *membranaceum* Benth. 692
—— *menthoides* Heyne ex Roth nom. nud. 703
—— *obtusifolium* E. Mey. ex Benth. 693
—— *rariflorum* Hochst. 693
—— *tenuiflorum* L. 704
—— *tereticaule* Poir. 711
—— *thonningii* Schumach. 711
—— *viscosum* Roth 703
Ocotea kenyensis 139
Odontotermes 719, 722, 728, 730, 732-733, 735
—— *badius* Haviland 728, 733
—— *grandiceps* Holmgren 722, 732
—— *horni* Wasmann 735
—— *malaccensis* Holmgren 722, 733
—— *obesus* 735
—— *redemanni* Wasmann 733
—— *sarawakensis* 722
—— *transvaalensis* Sjöstedt 733
—— *vulgaris* Haviland 733
—— sp. 728, *731, 733
Oelschlaeger, Max: Idea of Wilderness. From Prehistory to the Age of Ecology (Rev.) 373
Olacaceae 812
Olea 280-281
Oleaceae: A revision of Chionanthus (Oleaceae) in S. America and the description of Priogymnanthus, gen. nov., P.S. Green 261
Oleaceae 261, 270, 280-281
Olng'otüe, Patrick A.S. & Oballa, Phanuel O.: Chromosome numbers in two African Acacia species 107
Oman: A new species of Chrysopogon (Gramineae) from Oman, T. A. Cope 533
One or more species of Gynerium ? (Poaceae), Risto Kalliola & Stephen A. Renvoize 305
Orania 628
Orchidaceae: Multicellular trichomes in tribe Diurideae (Orchidaceae): systematic and biological significance, Alec M. Pridgeon 569
Orchidaceae 569, 577
—— tribe *Diseae* 555
—— tribe *Diurideae* 569-570, 576
—— tribe *Orchideae* 556
—— subtribe *Acianthinae* 573
—— subtribe *Caladeniinae* 570, 573
—— subtribe *Coryciinae* 555
—— subtribe *Diuridinae* 573
Orchidaceae
—— subtribe *Drakaeinae* 570, 573
—— subtribe *Prasophyllinae* 573
—— subtribe *Pterostylidinae* 570
—— subtribe *Thelymitrinae* 573
Orchidoideae 569
Origanum: Micromeria formosana from Taiwan: an Origanum, R.M. Harley 151
Origanum L. sect. *Origanum* 151
—— *vulgare* L. †151
—— —— subsp. *vulgare* 151
—— var. *formosana* Hayata 151
Orthosiphon Benth. 674, 676, 678, 689
—— sensu Baker 689
—— subgen. *Nautochilus* 689
—— sect. *Diffusi* Briq. 673, †699
—— sect. *Virgati* Briq. 673
—— *cleistocalyx* Vatke 711
—— *comosus* Benth. 689
—— *diffusus* (Benth.) Benth. 704
—— —— (Benth.) Benth. var. *hispidus* (Benth.) Hook. f. 704
—— *dissitifolius* Baker 696
—— *ellenbeckii* Gürke 712
—— *glutinosus* Chiov. 701
—— *gofensis* S.Moore 711
—— *hispidus* Benth. 704
—— *hockii* De Wild. 696
—— *homblei* De Wild. 696
—— *kelleri* Briq. 673, 712
—— *labiatus* N.E. Br. 678
—— *malosanus* Baker 696
—— *menthaefolius* Briq. 693
—— *obbiadensis* Chiov. 702
—— *obscurus* Briq. 696
—— *retinervis* Briq. 692-693
—— *rubicundus* *676
—— *scabridus* Briq. 692-693
—— *tenuiflorus* Benth. 707
—— *thymiflorus* (Roth) Sleesen 704
—— *tomentosus* Benth. 704
—— —— De Wild. 696
—— *tubiformis* R.D. Good 678
—— *tubulascens* Briq. 695
—— *unyikensis* Gürke 696
—— *wakefieldii* Baker 706
Ostropales 50
Owens, Simon *Reviewer:* Secondary Pollen Presentation. Form, Function and Evolution. Plant Systematics and Evolution Supplementum 6, by P. F. Yeo 836
Owens, Simon *Reviewer:* Tapetum. Cytology, function, Biochemistry and Evolution. Plant Systematics and Evolution Supplementum 7, by M. Hesse, E. Pacini & M. Willemse (Eds.) 835
Oxytenanthera abyssinica 13
—— sp. 13-14
Özhatay, Neriman, Cowley, Jill & Mathew, Brian: New species of Alliaceae & Hyacinthaceae from Turkey 481

Pachycoffea 333

Pachystela
Pachystela 805
Paepalanthus 303, 444
—— *almasensis* Moldenke 444
—— *caulescens* Kunth 444
—— *cinereus* Giul. & L. R. Parra †444
—— *scandens* Ruhland var. *almasensis* Moldenke 444
—— *stannardii* Giul. & L. R. Parra 444
—— *vestitus* Ruhland var. *caulescens* Moldenke 444
Palmae: New species of Pinanga (Palmae: Arecoideae) from Luzon Island, (Philippines), Edwino S. Fernando 775
Palmae: A monograph of Ravenea (Palmae: Ceroxyloideae), H. J. Beentje 623
Palmae 2, 27-29, 66-67
—— subfam. *Arecoideae* 27, 29
—— subfam. *Calamoideae* 27
—— subfam. *Ceroxyloideae* 623, 627
—— subfam. *Coryphoideae* 29
—— tribe *Calameae* 27
—— tribe *Caryoteae* 27
—— tribe *Cocoeae* 27
—— subtribe *Sabalinae* 29
Pandanus 67
Papua New Guinea: Rosselia, a new genus of Burseraceae from the Louisiade Archipelago, Papua New Guinea, L. L. Forman, R. W. J. M. van der Ham, M. M. Harley & T. J. Lawrence 601
Parabarium Pierre ex Spire 757-760
— *cambodiense* (Pierre) Pierre ex Spire 763
—— *latifolium* Pierre ex Spire 761
—— *micrantha* (Wall. ex G. Don) Pierre ex Spire 758
— *micranthum* (Wall. ex G. Don) Pierre ex Spire 759-760, 763
—— *napeensis* (Quint.) Pierre ex Spire 764
—— *spireanum* Pierre ex Spire 763
—— *utile* (Hayata & Kawakami) Lý 763
—— —— var. *kerrii* Lý 763
—— *velutinum* Pitard 761
—— —— var. *koratianum* Lý 761-762
Paracaleana 569
Parachnopeziza Korf. 3
Paralychnophora MacLeish 514
Parameria Benth. & Hook. f. 757-759
Parameriopsis Pichon 757-759
— *polyneura* (Hook. f.) Pichon 758
Parapiptadenia: A new species of Parapiptadenia (Leguminosae: Mimosoideae) from Brazil, G. P. Lewis 99
Parapiptadenia 99
—— *ilheusana* G.P. Lewis †99, *100, 101
—— *zehntneri* (Harms) M.P. Lima & H.C. Lima 99, 101
Parkia: The Indo-Pacific species of Parkia (Leguminosae: Mimosoideae), Helen C. Fortune Hopkins 181
Parkia 182, 184-190, 192, 203, 216, 221
—— *africana* 203
—— sensu auct. 199
Parkia
—— *biglandulosa* *194, †196, *197, 203
—— *biglobosa* 184-185, 203
—— —— sensu auct. 199, 204
—— *calcarata* Gagnepain ex Lecomte 199
—— *dongnaiensis* Pierre 213, 216-217
—— *filicoidea* 806
—— *grandis* Hassk. 199, 229
—— *harbesonii* Elm. 204
—— *insignis* Kurz 213, 217
—— *intermedia* 185, 189, 192-193, 203, 207, 209, †227, 229
—— —— f. *intermedia* 228
—— —— f. *pseudo-speciosa* 228-229
—— *javanica* 186, 188-189, 203
—— —— sensu auct. 199
—— *korom* 185, *194, 196, 225
—— *leiophylla* 203, †209, 211, 217
—— cf. —— *194
—— *macrocarpa* Miq. 204, 209, 211
—— *parrii* Horne ex Baker 185, *194, 196, †226
—— *parvifoliola* 185, 194, *196, †225
—— *pedunculata* 185, 196
—— *platycephala* 184
—— *roxburghii* G. Don 198, 203, 211, 229
—— *sherfeseei* 184, 193, *194, 213, †227
— *singularis* Miq. 184-185, 192, *193, *195, *196, †217, *218, 221-222, *228
—— subsp. *borneensis* 195, 217, *218, †219, *220, 221-222
—— subsp. *singularis* *195, †217, *218, *220, 221
—— *speciosa* Hassk. 182, 185-186, 188-190, *194, 196, 198, 203, †204, *205, *206, 209, 211, 216, 221, 228-229
—— *streptocarpa* Hance 213, 216-217
—— *sumatrana* 185, 189, *194, *195, 196, †211, 213, 216-217, 222, *228
— —— subsp. *streptocarpa* (Hance) H.C. Hopkins *194, 211, *212, †213, 216-217, 222
— —— subsp. *sumatrana* *194, 209, †211, *212, 216, 222
—— *timoriana* 184-186, 188-189, 192, *194, 196, †198, †200, 203, 207, 211, 228-229
—— cf. —— 188
—— *versteeghii* 184, 187, *194, 196, †223, 225
—— sp. 188
Parra, L. R. & Giulietti, A. M.: Nomenclatural changes in Eriocaulaceae from Pico das Almas, Bahia, Brazil 444
Parris, B.S., Beaman, R.S. & Beaman, J.H.: Plants of Mount Kinabalu 1. Ferns and fern allies. (Rev.) 374
Paton, Alan, Harley, M . M., Harley, R. M. & Weeks, S.: A revision of Endostemon (Labiatae) 673
Pauldopia ghorta 398
Pegler, D. N., Boddy, L., Ing, B. & Kirk, P. M.: Fungi of Europe: Investigation, Recording and Conservation (Rev.) 589
Pegler, D. N. & Vanhaecke, M.: Termitomyces of southeast Asia 717

Pegler
Pegler, D.N. *Reviewer:* Ecology of Mycorrhizae, by Michael F. Allen 159
Pegler, D.N., Spooner, B.M. & Young, T.W.K.: British Truffles. A. Revision of British Hypogeous Fungi (Rev.) 167
Pennington, T.D. *Reviewer:* Field Guide to the Families and Genera of Woody Plants of Northwest South America (Colombia, Ecuador, Peru) with supplementary notes on herbaceous taxa., by Alwyn H. Gentry 369
Pennington, T.D. *Reviewer:* Lauraceae: Nectandra. Flora Neotropica Monograph 60, by J. G. Rohwer 584
Pentacalia 824
Penzigia Sacc. 3, 36
—— *cranioides* Sacc. 36
Periploca 739
Peschiera praeclara Miers 268, 270
Peumus boldus Molina 149
Phaseoleae: Mysanthus, a new genus in tribe Phaseoleae (Leguminosae: Papilionoideae) from Brazil, G.P. Lewis & A. Delgado Salinas 343
Phaseolus L. 343
—— L. sect. *Macroptilium* Benth. 343
—— *dolicopsoides* Hoehne 351
—— *peduncularis* Kunth 343
—— *uleanus* 343, 345
Phialophora 5
Philippines: New species of Pinanga (Palmae: Arecoideae) from Luzon Island, (Philippines), Edwino S. Fernando 775
Phillips, Sylvia M.: Notes on some Eriocaulon species from Ceylon 287
Phillips, Sylvia M.: Two new species of Hyparrhenia (Gramineae) from Ethiopia 537
Phragmites 67, 310
Phyllanthus L. 618
Phyllostachys makinoi 13
—— *pubescens* 11
Phylogeny and subgeneric classification of Cyclamen L. (Primulaceae), Arne A. Andeberg 455
Pico das Almas: Notes on the Myrtaceae of the Pico das Almas, Bahia, Brazil, E. Nic Lughadha 321
Pimenov, M. G. & Leonov, M. V.: Genera of Umbelliferae: A nomenclator (Rev.) 592
Pimenta dioica (L.) Merrill 323
—— *guatemalensis* (Lundell) Lundell 323-324
Pinanga: New species of Pinanga (Palmae: Arecoideae) from Luzon Island, (Philippines), Edwino S. Fernando 775
Pinanga 775, 780
—— *bicolana* Fernando 780
—— *egregia* Fernando †775, 776, *777
—— *geonomiformis* Becc. 775-776
—— *glaucifolia* Fernando †776, *779, 780
—— *heterophylla* Becc. 782, 784
—— *isabelensis* Becc. 780, 782
Pinanga
—— *philippinensis* Becc. 776, 780
—— *sierramadreana* Fernando †780, *781
—— *sobolifera* Fernando †782, *783
Pinguicula greenwoodii (Lentibulariaceae), a new butterwort fom Mexico, Martin Cheek 813
Pinguicula 815
—— sect. *Homophyllum* Casper 815
—— sect. *Orcheosanthus* A. DC. 815
—— *greenwoodii* Cheek †813, *814, 815
—— *jackii* Barnhart 813, 815
Pinus 487
Piptolepis Sch. Bip. 514
Pithecellobium lobatum Benth. 190
Platostoma P. Beauv. 689
Platycerium alcicorne 806
Platyparkia 185
Plectranthus L'Hérit. 674, 684
—— *viscosus* (Roth) Spreng. 703
Pleurostima 76, 86, 88-89
—— sensu lato 81, 84
—— sect. *Grazielae* *75, 77, *80
—— sect. *Pleurostima* *75, 77, *80
—— *andersonii* (L.B. Smith & Ayensu) N.L. de Menezes 77
—— *beauverdii* (Damazio) N.L. de Menezes 77
—— *brachycalyx* (Goeth. & Henrard) N.L. de Menezes 77
—— *brevifolia* (Taubert) N.L. de Menezes 77
—— *burlemarxii* (L.B. Smith & Ayensu) N.L. de Menezes 77
—— *caricina* (Goeth. & Henrard) N.L. de Menezes 77
—— *celiae* (Maguire) N.L. de Menezes 77
—— *cylindrica* (L.B. Smith & Ayensu) N.L. de Menezes 77
—— *delicatula* (L.B. Smith & Ayensu) N.L. de Menezes 77
—— *janniae* N.L. de Menezes 77
—— *flavida* (Goeth. & Henrard) N.L. de Menezes 77
—— *gaveensis* (Goeth. & Henrard) N.L. de Menezes 77
—— *gounelleana* (Beauverd) N.L. de Menezes 77
—— *hatschbachii* (L.B. Smith & Ayensu) N.L. de Menezes 77
—— *inclinata* (Goeth. & Henrard) N.L. de Menezes 77
—— *longiscapa* (Goeth. & Henrard) N.L. de Menezes 77
—— *monticola* (L.B. Smith & Ayensu) N.L. de Menezes 77
—— *nigrimarginata* (L.B. Smith) N.L. de Menezes 77
—— *pabstiana* (L.B. Smith & Ayensu) N.L. de Menezes 77
—— *purpurea* (Hook.) Raf. 77
—— *riparia* N.L. de Menezes & R. de Mello-Silva 77
—— *seubertiana* (Goeth. & Henrard) N.L. de Menezes 77

Pleurostima
—— *spectabilis* (L.B. Smith & Ayensu) N.L. de Menezes 77
—— *squamata* (Herb.) N.L. de Menezes 77
—— *stenophylla* (Goeth. & Henrard) N .L. de Menezes 77
Plotkin, Mark J., Boom, Brian M. & Allison, Malorye: Ethnobotany of Aublet's Histoire des Plantes de la Guiane Françoise (1775). Monographs in Systematic Botany from the Missouri Botanical Garden Vol. 35 (Notice) 174
Pluteaceae Kotl. & Pouzar 717
Poaceae: Aristida (Poaceae): two new species from Brazil, Hilda Maria Longhi-Wagner 817
Poaceae: One or more species of Gynerium ? (Poaceae), Risto Kalliola & Stephen A. Renvoize 305
Podabrella Singer 717, 733-734
Podobrella microcarpa (Berk. & Broome) Singer 732
Pogonatherum paniceum 127
Pollen morphology of two new East African species of Fernandoa (Bignoniaceae), M. M. Harley & H. I. Banks 391
Polyceratocarpus sp. nov. 806
Polygonaceae 260
Polystichum talamancanum 109
Porter, J.R., & Lawlor, D.W. (Eds.): Plant Growth: interactions with nutrition and environment. Society for Experimental Biology, Seminar Series 43 (Notice) 174
Pothos: Notes on Pothos insignis (Araceae: Pothoideae), P. C. Boyce & A. D. Poulsen 523
Pothos 523, 526
—— sect. *Allopothos* 526, 528
—— sect. —— sensu Engler 523, 526
—— sect. *Eupothos* sensu Engler 523
—— sect. *Pothos* 523
—— ser. *Goniuri* 523, 526
—— ser. *Longevaginati* 523
—— *borneensis* Furt. 526
—— *insignis* Engler †523, *525, 526, 528
—— *rumphii* (Presl) Schott 526
Potter, Christopher S., Cohen, Joel I. & Janczewski, Dianne (Eds.): Perspectives on Biodiversity: Case Studies of Genetic Resource Conservation and Development (Rev.) 593
Poulsen, A. D. & Boyce, P. C.: Notes on Pothos insignis (Araceae: Pothoideae) 523
Prance, G.T.: Four new species of neotropical Dichapetalaceae 129
Prance, G.T.: Two new species of neotropical Chrysobalanaceae 359
Prance, Ghillean T., Guarim Neto, Germano & Guarim, Vera Lucia M. S.: Structure and floristic composition of the trees of an area of cerrado near Cuiabá, Mato Grosso, Brazil 499
Prasophyllum 569, 573
Prasophyllum
—— *cyphochilum* 573
—— *flavum* 573
—— *hians* 573
—— *parviflorum* 573
—— *plumaeforme* 573
Premna gracillima 806
Presbytis melelophos (Raffles) 188
—— *obscura* (Reid) 188
Pridgeon, Alec M.: Multicellular trichomes in tribe Diurideae (Orchidaceae): systematic and biological significance 569
Pridgeon, Alec M. *Reviewer:* Orchid Paintings of Franz Bauer, by Joyce Stewart & William T. Stearn 595
Primula L. 455, 464
Primulaceae 463-464,
—— tribe *Cyclamineae* 455
—— tribe *Primuleae* subtribe *Soldanellinae* 455
Primulales 465
Priogymnanthus: A revision of Chionanthus (Oleaceae) in S. America and the description of Priogymnanthus, gen. nov., P.S. Green 261
Priogymnanthus 261, 270, †280, 283-284
—— *apertus* (B. Ståhl) P. S. Green 280, †283, 285
—— *hasslerianus* (Chodat) P.S. Green 280, †281, *282, 283-284
Protieae 607
Protium 609, 613
Pseudacanthotermes militaris Hagen 721
— *spiniger* Sjöstedt 728
Pseudanthus tasmanicus Rodway: A further note on Pseudanthus tasmanicus Rodway, A. Radcliffe- Smith 260
Pseudanthus 260
—— *tasmanicus* Rodway 260
Pseudoblepharis 401, 409
Pseudocalyx: A new species of Pseudocalyx (Acanthaceae) from Liberia, F. J. Breteler 809
Pseudocalyx 809-810, 812
—— *africanus* S. Moore 812
—— *aurantiacus* Benoist 809-810
—— *heterochondros* Mildbr. 810
—— *libericus* Breteler †809, 810, *811, 812
—— *macrophylla* McPherson & Louis 809-810
—— *saccatus* Radkl. 812
Pseudocimum Bremek. 680, 689, 699
—— *tenuiflorus* Bremek. 707
—— *trichocalyx* Bremek. 707
Pseudocoix A. Camus 429, 436, 438
—— *perrieri* A. Camus 429, 436, 438, 441
Pseudogynoxys 824
Pseudomuscari Garbari & Greuter 489
Psidium pohlianum †325, 326
—— *rigidum* 325
Psilanthopsis 340-341
—— *kapakata* Chev. 340-341
Psilotum nudum 127
Psittacula alexandri L. 188

Psittacus
Psittacus —— L. 189
Pteleopsis 383, 406
Pteropodidae 187
Pteropodinae 188
Pteropus 188
—— *hypomelanus* (Temminck) 188
—— *seychellensis* Milne-Edwards 188
Pterostylis 569-570, 573
—— sp. aff. *nana* 573
Pterygodium 556
—— *nigrescens* (Sond.) Schltr. 556
—— *ukingense* 556
Puff, Christian (Ed.): Genus Paederia L. (Rubiaceae-Paederieae): A. Multidisciplinary Study (Rev.) 374
Punica granatum 47
Purohit, K. M. & Panigrahi, G.: Family Rosaceae in India (Revisionary Studies on Some Genera) Volume 1 (Notice) 837
Pycnostachys 674

Qualea grandiflora Mart. 504-506
—— *parviflora* Mart. 505-506
Queiroz, Luciano Paganucci de: Cratylia bahiensis (Leguminosae: Papilionoideae), a new species from Bahia, Brazil 769
Quercus 36, 44, 50, 55
—— *ilex* 52
—— *pubescens* 50
—— *sessiliflora pubescens* 50

Racemobambos Holtt. 431
Radcliffe-Smith, A.: A further note on Pseudanthus tasmanicus Rodway 260
Radcliffe- Smith, A.: A new Croton variety of pharmacognostic significance from Eastern Brazil 149
Radcliffe-Smith, A.: Euphorbia yunnanensis subsumed 330
Ramirezella Rose 343
Ranevea L.H. Bailey 629
Ravenea: A monograph of Ravenea (Palmae: Ceroxyloideae), H. J. Beentje 623
Ravenea C.D. Bouché 623, 625-631, 637, *648, 649, 656, 668
—— subgen. *Euravenea* Becc. 629
—— subgen. *Raveneopsis* Becc. 629
—— *albicans* 624-628, 631-632, †663
—— *amara* Jum. 643, 645-646
—— *dransfieldii* 626-628, 631-632, †656, †*658, *660
—— *glauca* 624-627, 631, 633, 646, †653
—— *hildebrandtii* C.D. Bouché 623-624, 627, 629-632, 639, †654, 656, 666
—— *julietiae* Beentje 625-628, 632-633, †646, *648, 669
—— *krociana* 626-627, 630-631, 633, 636, †637, *638
Ravenea
—— *lakatra* 624-628, 630-632, 656, †662
—— *latisecta* 623, 625, 627, 631, 633, †642
—— *louvelii* 624, 626-627, 629-632, 649, †664
—— *madagascariensis* Becc. 625, 627, 629, 633, †639, 642-643, 665
—— —— var. *madagascariensis* 642
—— —— var. *monticola* H. Perrier 640, 642
—— *moorei* J. Dransf. & N.W. Uhl 627, 631, 633, †637, 656
—— *musicalis* 624-628, 631-633, 650, †651, 652
—— *nana* 626-628, 630-632, †665, *667
—— *rivularis* Jum. & H. Perrier 624-628, 631-633, 637, †649, 650
—— *robustior* Jum. 624-629, 631, 633-634, 636-637, 639, 642
—— Jum. var. *kouna* Jum. 634, 636
—— *sambiranensis* 624-628, 631-633, †643, 646, 651
xerophila Jum. 624-626, 628, 630-632, 654, †659
Ravinia Vell. 629
Renvoize, S. A.: Notes on Sporobolus & Bromus (Gramineae) from the Andes 543
Renvoize, Stephen A. & Kalliola, Risto: One or more species of Gynerium ? (Poaceae) 305
Resedaceae 398
A revision of Anisopus N. E. Br. (Asclepidaceae: Marsdenieae), D. J. Goyder 737
A revision of Chionanthus (Oleaceae) in S. America and the description of Priogymnanthus, gen. nov., P.S. Green 261
A revision of Endostemon (Labiatae), Alan Paton, M . M. Harley, R. M. Harley & S. Weeks 673
A revision of Urceola (Apocynaceae) in Thailand, David J. Middleton 757
Reynolds, T., Brandham, P. E. & Carter, S.: A multidisciplinary study of relationships among the cremnophilous aloes of northeastern Africa 415
Rhinocladiella 5, 51
Rhinoplax vigil (Forster) 189
Rhizanthella 569
Rhizoctonia 569
Rhopalostylis 29
—— *rachidis* 29
—— *sapida* 29
Ribes 398
Rico, M. de L.: Four new species of Zygia (Leguminosae: Mimosoideae) 547
Rimacola 573
Robergea Desm. 50
—— *cubicularis* (Fr.) Rehm. 48
Rohwer, J. G.: Lauraceae: Nectandra. Flora Neotropica Monograph 60 (Rev.) 584
Rosellinia & Astrocystis (Xylariaceae): new species and generic concepts, T. Læssøe & B.M. Spooner 1

Rosellinia

Rosellinia De Not 2-4, 7-9, 14, 16, 24, 28, 31, 33, 35-36, 38-39, 46, 57, 66
—— *abscondita* Rehm 66
—— *affinis* Sacc. 32
—— *ambigens* Sacc. 67
—— *amblystoma* Berl. & F. Sacc. 21, 23-25
—— *aquila* 16, 21, 27, 33-35
—— —— (Fr.) De Not. var. *palmicola* Theiss. 66
—— sp. aff. *arctispora* 24
—— *bambusae* P. Henn. 9, 13
—— *bunodes* (Berk. & Broome) Sacc. 24, 66-67
—— *calami* Henn. 67
—— *callosa* Winter 36
—— *chusqueae* Pat. 66
—— *cocoes* 24, 27
—— f. 27-28
—— *congesta* 10, †14, 16, 18, 20
—— *copelandii* (Henn.) Lloyd 66
—— *crustacea* Rehm 66
—— *decipiens* Penz. & Sacc. 66
—— *desmazieresii* (Berk. & Broome) Sacc. sec Petrini 66
—— *diderma* 28, 31
—— *dimidiata* Starb. 25
—— *dolichospora* Syd. & P. Syd. 67
—— *echinocarpa* Saccas 36
—— *elaeicola* Henn. 67
—— *emergens* (Berk. & Broome) Sacc. var. *bambusicola* 66
—— *erianthi* Chona & Munjal 66
—— *euterpes* Rehm 67
—— *evansii* Læssøe & Spooner 2, 7, 9, *30, †35, 36, 38, 44-45, *54
—— sp. aff. *30
—— *formosa* Penz. & Sacc. 67
—— —— var. *flavozonata* Penz. & Sacc. 66
—— *franciscae* L.E. Petrini 36
—— *fuscomaculans* Rehm 23, 66
—— *fusispora* Kirschst. 66
—— *gaudefroyi* Fabre 50
—— *geasteroides* Ellis & Everh. 11
—— *glabra* (Fuckel) L.E. Petrini 67
—— *hemisphaerica* Sacc. & Paol. 67
—— *macra* Ellis & Everh. 24
—— *macrosperma* Speg. 66
—— *macrospora* A. Pande & Mhaskar 66
—— *madeirensis* Henn. 20
—— cf. *mammiformis* 36
—— *marginatoclypeata* Penz. & Sacc. 24
—— *massinkii* Sacc. 66
—— *minor* (Strasser) S.M. Francis 31
—— *muroiana* 23
? —— —— I. Hino & Katum. 21
—— *mycophila* (Fr.) Sacc. 31
—— *pandanicola* (Berk. & Broome) Sacc. 67
—— *pseudohypoxylon* Speg. 66
—— *rachidis* Rehm 11, 28-29, *43, 66
—— cf. —— Pat. †28
—— *rhacodioides* Sacc. 66
—— *rhombispora* Sacc. 67

Rosellinia

—— *romana* Sacc. 67
samoensis Henn. 67
sanctacruciana Ferd. & Winge 67
—— *sepulta* (Berk. & Curtis) Sacc. 67
—— *smilacina* 25
? —— —— Speg. 25
—— *spadicea* Ces. 67
—— *subiculata* (Schwein.: Fr.) Sacc. 6, *14, 29, †39, 66
sublimbata (Durieu & Mont.) Pass. 13, 18, 21, 23, 67
—— ? —— 24
—— *subverruculosa* Rehm 24
—— *thelena* 27, 33
—— *thindii* Dargan †38
—— *valdiviensis* Speg. 47
—— *zingiberi* F. Stevens & Atienza 67
—— sp. 13, 23, 25

Rosengarten, Jr., Frederic: Wilson Popenoe. Agricultural Explorer, Educator, and Friend of Latin America (Notice) 175

Rosselia, a new genus of Burseraceae from the Louisiade Archipelago, Papua New Guinea, L. L. Forman , R. W. J. M. van der Ham, M. M. Harley & T. J. Lawrence 601

Rosselia †603, 606-608, 612-614, 618-619
—— *bracteata* Forman †604, *605, 609, 618-619

Rouleau, Ernest & Lamoureux, Gisèle: Atlas of the vascular plants of the island of Newfoundland and of the island of Saint-Pierre-et-Miquelon (Rev.) 168

Rubiaceae: Additional notes on Coffea (Rubiaceae) from tropical East Africa, Diane M. Bridson 331

Rubiaceae 333, 806
Ruellia L. 618
Ruscus 67
Rutaceae 618, 629

Sabal 29
—— *bermudana* 29
Saccharum 311
—— *officinarum* 311
—— *sagittatum* 311-312
—— *spontaneum* L. 24
Salacia lembachii 806

Salinas, A. Delgado & Lewis, G.P.: Mysanthus, a new genus in tribe Phaseoleae (Leguminosae: Papilionoideae) from Brazil 343

Salix 40, 44

Sanjappa, M.: Crudia (Leguminosae: Caesalpinioideae), a new generic record for India with a new species of the genus 565

Santiria Bl. 607, 609, 613
—— *rubiginosa* Bl. 606
Sapindaceae 324, 478, 618-619
—— subfam. *Dodonaeoideae* 618
Sasa 23
—— *japonica* 23

Satyrium
Satyrium 556
Saudi Arabia: A curious new species of Albuca (Hyacinthaceae) from Saudi Arabia, B. Mathew & I.S. Collenette 125
Saxifragaceae 398-399
Schefflera abyssinica 139
Schilling, A. D. *Reviewer:* 'Chinese' Wilson. A life of Ernest H. Wilson, 1876-1930, by Roy W. Briggs 581
Schismatoglottis 793, 795-796
—— *cyria* P. C. Boyce †796, *797, 798
— *gillianae* P. C. Boyce †793, *794, 795-796
—— *homalomenoidea* 793, 795-796
—— *latifolia* Miq. 796, 798
—— *mayoana* Hotta & Bogner 795
—— *megaphylla* 796, 798
—— *monoplacenta* Hotta 793, 795
—— *parviflora* Hotta 793, 795-796
Schizochilus sulphureus 556
Schizostachum 66
Schizostachyum 11, 14, 23, 67
—— Nees 431
—— sp. 13
Schulzeria goossensiae Beeli pro parte 721
—— *striata* Beeli 734
Scindapsus lucens (Araceae: Monsteroideae), a new species related to Scindapsus pictus, J. Bogner & P. C. Boyce 789
Scindapsus Schott 789
—— *altissimus* Alderw. 789
—— *lucens* Bogner & P. C. Boyce †789, *790, 791-792
— *officinalis* (Roxb.) Schott 791
—— *pictus* Hassk. 789, 791
Scirpus 66
Sclerochiton Harvey 401, 403-404, 409, 412
Sclerolobium aureum (Tul.) Benth. 502
Sclerosperma 630
Scrophulariaceae 398, 478
—— tribe *Leucophylleae* 398
Scrophulariales 398-399
Scutinanthe Thwaites 606-607, 609, 613, 618
—— *brevisepala* Leenh. 618
—— *brunnea* Thwaites 606, 618-619
Sebacina vermifera 569
Sebsebe Demissew & Yvette Harvey: Stachys nemorivaga: a neglected Stachys (Labiatae) from Africa
Secamone R. Br. 739, 754
Secamonoideae 754
Sempervivum 815
Senecio L. 137, 823-824
—— *dichrous* (Bong.) Sch. Bip. 823
—— *gertii* 824
—— *serranus* Zardini 823
Senecioneae 137
Sesuvium edmonstonei 117
Seynesia Sacc. 32
Shrestha, Krishna K.: A new species of Cyananthus (Campanulaceae) from Yunnan, China 143
Simarouba versicolor A. St. Hil. 505
Simaroubaceae
Simaroubaceae 618
Simpson, D.A.: A new species of Cyperus from Somalia 365
Simpson, D.A.: Revision of the genus Mapania (Rev.) 376
Sinarundinaria 24, 25
Sinotermitomyces 717
—— *carnosus* M. Zang 719, 730, †735
—— *cavus* M. Zang 718, 734, †735
Sivarajan, V. V. & Robson, N. K. B. (Ed.): Introduction to the principles of plant taxonomy, second edition (Notice) 175
Smilacaceae 25
Smilax 25
—— *campestris* 25
—— *rotundifolia* L. 25
Solanecio: Two new taxa of Solanecio (Compositae: Senecioneae) from Ethiopia, Mesfin Tadesse 137
Solanecio (Sch. Bip.) Walp. 137, 139
—— *angulatus* 139
— *epidendricus* (Mattf.) C. Jeffrey 139
—— *gigas* 137
—— *harennensis* Mesfin *138, †139
—— *kanzibiensis* (Humbert & Staner) C. Jeffrey 139
—— *mannii* 137
—— *mirabilis* (Muschl.) C. Jeffrey 139
—— *nandensis* 139
—— *tuberosus* (Sch.Bip. ex A. Rich.) C. Jeffrey 137, 139
—— —— var. *pubescens* 139, †140
Soldanella L. 455, 457, 460
Solidago canadensis L. 414
Somalia: A new species of Cyperus from Somalia, D.A. Simpson 365
Sorbus 44
Sordaria cubiculare 50
fleischhakii Auersw. 48, 50
Sordariaceae 57
South Africa: Hybridisation in Eriosema (Leguminosae: Phaseoleae) in Natal, South Africa, C. H. Stirton 529
Southeast Asia: Termitomyces of southeast Asia, D. N. Pegler & M. Vanhaecke 717
Sphaeria confluens Tode 40
—— Tode: Fr. 40
—— *cubicularis* 48, 50
—— *decipiens* Lam. & DC. 56
—— *diderma* L.v.S. 31
—— Schwein. †31, 54
—— *floriformis* Sowerby 56
— *melanotes* Berk. & Broome 42
—— *mycophila* Fr. 31-32
—— *smilacicola* Schwein. in Fr. 25
—— *subiculata* Schwein. 39
—— *sublimbata* Durieu & Mont. 21, 24
—— *uda* Pers. 41
Sphaeriaceae 8, 32
Sphaeriarum terasissima Stirps 21
Sphaeroparkia 185
Spiculaea 569-570, 573

Spooner

Spooner, B.M. *Reviewer:* Atlas of the vascular plants of the island of Newfoundland and of the island of Saint-Pierre-et-Miquelon, by Ernest Rouleau & Gisèle Lamoureux 168
Spooner, B.M. *Reviewer:* Guide to Temperate Myxomycetes. An English translation by A. Feest and Y. Burggraaf of De Nederlandse Myxomyceten, by N.E. Nannenga-Bremekamp 166
Spooner, B.M. & Læssøe, T.: Rosellinia & Astrocystis (Xylariaceae): new species and generic concepts 1
Sporobolus: Notes on Sporobolus & Bromus (Gramineae) from the Andes, S. A. Renvoize 543
Sporobolus 544
—— *africanus* 545
—— *indicus* (L.) R. Br. 544-545
—— —— (L.) R. Br. var. *andinus* Renvoize †543, 544-545
—— *minor* Trin. ex Kunth 545
—— *olivaceus* Napper 545
Stace, Clive: New Flora of the British Isles (Rev.) 153
Stachyotypus Dum. 353
Stachys nemorivaga: A neglected Stachys (Labiatae) from Africa, Yvette Harvey & Sebsebe Demissew 353
Stachys 353, 355
—— sect. *Ambleia* Benth. 353
—— sect. *Stachys* 353, 356
—— subsect. *Rectae* Boiss. 353
—— subsect. *Ruderales* Benth. 353
—— *aethiopica* L. 356
—— *affinis* L. 353
—— *byzantinia* C. Koch 353
—— *coccinea* (L.) Trev. 353
—— *cuneata* Banks ex Benth. 353
—— *germanica* L. 353
—— *humifusa* Burch. ex Benth. 356
—— *linearis* Burch. ex Benth. 353
—— *nemorivaga* Briq. 353, *354, †355, 356-357
—— *obtusifolia* MacOwan 356-357
—— *officinalis* (L.) Trev. 353
—— *sessilifolia* E. Mey. ex Benth. 356
—— *sessilis* Gürke 356-357
—— *subsessilis* Burch. ex Benth. 356
Stachystemon 260
Stapleton, C.M.A. *Reviewer:* Bamboos of Sabah, by Soejatmi Dransfield 162
Stenandriopsis 401
Stenandrium Nees 401, 403-405, 412
—— *afromontanum* (Mildbr.) Vollesen 412
Stenoglottis fimbriata 556
Stephanopodium 129, 136
—— *blanchetianum* Baillon 129, 136
—— *gentryi* Prance 129
—— *magnifolium* *135, †136
Stewart, Joyce & Stearn, William T.: Orchid Paintings of Franz Bauer (Rev.) 595

Stilbohypoxylon

Stilbohypoxylon Henn. 7, 45
—— *moelleri* Henn. 45
—— *rehmii* 45
—— —— sensu stricto 28
Stipa 66
Stirton, C. H.: Hybridisation in Eriosema (Leguminosae: Phaseoleae) in Natal, South Africa 529
Streptosiphon: The caveate pollen of Streptosiphon hirsutus (Acanthaceae: Acantheae) and its taxonomic significance, Carol A. Furness 409
Streptosiphon: The genus Streptosiphon (Acanthaceae: Acantheae), Kaj Vollesen 401
Streptosiphon Mildbr. 401, 403-404, †405, 409, 412, 414
—— *hirsutus* Mildbr. 401, *402, †405, 406, 409-410, *411, 412, *413, 414
Structure and floristic composition of the trees of an area of cerrado near Cuiabá, Mato Grosso, Brazil, Germano Guarim Neto, Vera Lucia M. S. Guarim & Ghillean T. Prance 499
Studies in neotropical Caesalpinia (Leguminosae: Caesalpinioideae): A new species from Mexico, G.P. Lewis & J. L. Contreras 103
Suaeda 51
—— *fruticosa* Forssk. 51
Sullivantia ohionis 398
Sundasciurus tenuis (Horsfield) 190
Syncolostemon Benth. 689
Synopsis of the continental African species of Fernandoa (Bignoniaceae), Sally Bidgood 381
Synsepalum subverticillatum 806
Syzygium guineense subsp. *afromontanum* 139

Tabernaemontana 759
Taiwan: Micromeria formosana from Taiwan: an Origanum, R.M. Harley 151
Talbotia *75, 79, *80, 84, 86, 88
—— *elegans* Balfour 77
Tanzania: The genus Corycium (Orchidaceae) newly reported for Tanzania, Phillip Cribb & Hubert Kurzweil 555
Tapirocarpus Sagot 614
Tassiella 66
Taylor, N.P. & Eggli, U.: A new combination in Arrojadoa (Cactaceae) 98
Taylor, N.P. *Reviewer.* Names in Current Use for Extant Plant Genera. Regnum Vegetabile 129. NCU-3, by W. Greuter, R. K. Brummitt, E. Farr, N. Kilian, P. M. Kirk & P. C. Silva 832
Terminalia argentea Mart. & Zucc. 505
—— *arjuna* 47
—— *sambesiaca* 806
Termitomyces of southeast Asia, D. N. Pegler & M. Vanhaecke 717
Termitomyces 717-718, 730, *731

Termitomyces
—— subgen. *Eutermitomyces* 724, 734
—— subgen. *Praetermitomyces* 734
—— *albiceps* S. C. He 718, †719
—— — S. C. He sp. nov. 726
—— *albuminosus* sensu R. Heim 728
—— *aurantiacus* †719, 720, *727, 735
—— *clypeatus* R. Heim 718, †721, 722, *723, *731, 734
—— *cylindricus* S. C. He 718, †722
—— *entolomoides* R. Heim 718, †722, *723, *731
—— *eurhizus* (Berk.) R. Heim 718-719, †724, *725, 726, 728, 730, *731
—— *globulus* R. Heim & Gooss.-Font. 718-719, *725, †728
—— *heimii* Natarajan 719, †728, *729, 730, *731, 732, 735
—— *indicus* 718, †732, 733
—— *mammiformis* Heim 730
—— *medius* R. Heim & Grassé 733
—— *microcarpus* (Berk. & Broome) R. Heim 717-718, *720, *731, †732, 733-734
—— —— (Berk. & Broome) Heim f. *santalensis* Heim 732-733
—— *orientalis* 733
—— *perforans* R. Heim 734
—— *radicatus* Natarajan 718, *720, †733, 735
sagittiformis (Kalchbr. & Cooke) Reid 722
—— *spiniformis* R. Heim 722
—— *striatus* (Beeli) R. Heim 719, 721, *727, 728, *731, †734
—— —— (Beeli) R. Heim var. *aurantiacus* R. Heim 719
—— *unkowaani* (Cooke & Massee) D. A. Reid 726
Termitomycetaceae 717
Tessarandra 261
—— Miers 261
—— *fluminensis* Miers 261, 278
Tetragastris 609, 613
Thailand: A revision of Urceola (Apocynaceae) in Thailand, David J. Middleton 757
Thelymitra 569
Thouinia Thunb. ex L.f. 261
—— *nutans* Thunb. ex L.f. 261
Thulin, Mats (Ed.): Flora of Somalia, Volume 1 (Pteridophyta; Gymnospermae; Angiospermae (Annonaceae-Fabaceae) (Rev.) 596
Thunbergia 809-810
—— *stelligera* 806
Thysanolaena 310
Tisserantodendron Sillans 382
—— *chevalieri* Sillans 382, 388
—— *walkeri* Sillans 388
Torcula 182
Torrendiaceae Jülich 717
Townsonia 573
Toxosiphon Baillon 618
Trattinnickia Willd. 607, 609, 613, 617
Trattinnickia
—— *rhoifolia* Willd. 607-608
Trianthema: A new species of Trianthema (Aizoaceae) from Venezuela, Robert Wingfield & Mark Newman 115
Trianthema 115
—— subfam. *Sesuvioideae* 115
—— *hecatandra* Wingf. & M.F. Newman †115, *116, 117
—— *portulacastrum* L. 115, 117
—— *triquetra* Rottler & Willd. 115
Tricaulax mwasumbii 806
Trichaulax 472-473
Trichocaulon 478
Tricholomataceae Heim ex Pouzar 717
—— tribe *Lyophylleae* Kühner ex Bas 717
—— tribe *Termitomceteae* (Jülich) Singer 717
Trigonostemon 445, 450
—— *detritiferus* R. I. Milne †446, 448, *449, 450
—— *elmeri* 445-446
—— *ionthocarpus* Airy Shaw 445-446
—— *longifolius* Baill. 446
—— *longipedunculatus* (Elm.) Elm. 445-446
—— *matangensis* R. I. Milne †445, 446, *447
—— *wetrifolius* Airy Shaw & Ng 446, 448, 450
Triomma 609, 613, 618
Tropical East Africa: Additional notes on Coffea (Rubiaceae) from tropical East Africa, Diane M. Bridson 331
Tulasnella 576
Turkey: Cytology of three new geophytes from Turkey, Margaret A. T. Johnson 491
Turkey: New species of Alliaceae & Hyacinthaceae from Turkey, Jill Cowley, Neriman Özhatay & Brian Mathew 481
Turtle, A. & S. (Eds.): Temperate Bamboo Quarterly Vol. 1, No. 1, March 1993 (Notice) 598
Two new species of Hyparrhenia (Gramineae) from Ethiopia, Sylvia M. Phillips 537
Two new species of neotropical Chrysobalanaceae, G.T. Prance 359
Two new taxa of Aeschynomene (Leguminosae: Papilionoideae) from Brazil, G.P. Lewis 93
Two new taxa of Solanecio (Compositae: Senecioneae) from Ethiopia, Mesfin Tadesse 137
Tylophora R. Br. 738, 749, 754
—— *fleckii* (Schltr.) N. E. Br. 756
—— *longipedunculata* Schltr. 749
—— *yemenensis* Defl. 749
Tylophoropsis: A new species of Tylophoropsis (Asclepiadaceae), and notes on the genus, Sigrid Liede & Ulrich Meve 749
Tylophoropsis N. E. Br. 749, 754, 756
—— *erubescens* Liede & U. Meve †752, *753, 754
—— *heterophylla* (Vatke) N. E. Br. 749, 751-

Ulmus
752, 754
—— *longipedunculatum* 751
—— *yemenense* (Defl.) N. E. Br. 749, 751
? *Ulmus* *18
Urceola: A revision of Urceola (Apocynaceae) in Thailand, David J. Middleton 757
Urceola Roxb. 757-759, †760
—— sensu lato 758
—— sect. *Dittormus* 757
—— sect. *Euurceola* 757
—— sect. *Urceola "proper"* 757
—— *elastica* Roxb. 757-758, 760
—— *esculenta* 758
latifolia (Pierre ex Spire) D. J. Middleton †761
—— *lucida* (Wall. ex G. Don) Kurz 758, 760-761, †762
—— *micrantha* (Wall. ex G. Don) D. J. Middleton 760-761, †762
—— *minutiflora* (Pierre) D. J. Middleton 760-761, †764
—— *napeensis* (Quint.) D. J. Middleton 760-761, †764
—— *rosea* (Hook. & Arn.) D. J. Middleton 760-761, †765
Urceolinae 759
Urticaceae: Debregeasia ceylanica (Urticaceae): a change of status, C. M. Wilmot-Dear 468
Uvariodendron gorgonis 806

Vallea calomala Blanco 239
van der Ham, R. W. J. M., Forman , L. L., Harley, M. M. & Lawrence, T. J.: Rosselia, a new genus of Burseraceae from the Louisiade Archipelago, Papua New Guinea 601
Vanda "Miss Joachim" 576
Vanhaecke, M. & Pegler, D. N.: Termitomyces of southeast Asia 717
Vellozia 79, 81, 84, 86, 88-89
—— sect. *Barbacenioides* *80
—— sect. *Radia* *75, 77, *80, 84, 86, 89
—— sect. *Vellozia* *75, 77, *80, 86
—— sect. *Xerophytoides* *75, 77, *80, 81, 84, 86, 88
—— *abietina* Mart. 77
—— *exilis* Goeth. & Henrard 77
—— *laevis* L.B. Smith 77
—— *minima* Pohl 77
—— *prolifera* 73, 77, 83
—— *scoparia* Goeth. & Henrard 77
—— *sellovii* Seubert 77
—— *tragacantha* (Mart. ex Schult.f.) Mart. ex Seubert 77
Velloziaceae: A cladistic analysis of the Velloziaceae, Nanuza L. de Menezes, Renato de Mello-Silva & Simon J. Mayo 71
Velloziaceae 71, *75, 78-79, *80, 88
—— subfam. *Barbacenioideae* 81, 84, 86, 88
—— subfam. *Pitcairnioideae* 74
—— subfam. *Vellozioideae* 86, 88

Verbenaceae
Venezuela: A new species of Trianthema (Aizoaceae) from Venezuela, Robert Wingfield & Mark Newman 115
Verbenaceae 398
Verbesina L. 519
—— sect. *Lipactinia* B. L. Rob. & Greenman 520
—— *clausseni* Sch. Bip. ex Baker 519-520
—— *glabrata* Hook. & Arn. 519
—— *pseudoclausseni* D. J. N. Hind †519, 520, *521
Verdcourt, B.: Ammania coccinea Rottb. (Lythraceae) in Africa 510
Vernonia Schreb. 511, 513
—— *crotonoides* (DC.) Sch. Bip. 513
—— *decussata* Mart. ex DC. 514
—— *diffusa* Less. 513
—— *discolor* (Spreng.) Less. 513
—— *hatschbachii* (H. Rob.) D. J. N. Hind †514
oppositifolia Less. 513
—— *pedunculata* DC. 513
—— *pycnostachya* DC. †514
—— *rosea* Mart. ex DC. 514
—— *tomentella* Mart. ex DC. 514
Vigna subgen. *Sigmoidotropis* (Piper) Verdc. 343
—— *peduncularis* (Kunth) Fawcett & Rendle 343
Vincetoxicum heterophyllum Vatke 749
Virgariella 6, 42
Vochysiaceae 502
Vollesen, Kaj: Delimitation of Angkalanthus (Acanthaceae: Justiceae) and the new genus Chorisochora 469
Vollesen, Kaj: The genus Streptosiphon (Acanthaceae: Acantheae) 401
Vollesen, Kaj *Reviewer;* Field Guide to the Acacias of Kenya, by M. Coe, H. Beentje & R. Wise (illustrator) 582

Wedelia Jacq. 517
Weeks, S., Paton, Alan, Harley, M. M. & Harley, R. M.: A revision of Endostemon (Labiatae) 673
Weibel, R. & Coode, M.J.E.: Elaeocarpus for Flora Malesiana - notes, new taxa and combinations in sect. Elaeocarpus: 1 235
Wellstedia 478
Whibley, D.J.E. & Symon, D.E.: Acacias of South Australia. 2nd edition (Notice) 377
Wilkinson, Hazel P. *Reviewer:* Advances in Legume Systematics, part 4. The Fossil Record, by Patrick S. Hereenden, & David L. Dilcher (Eds.) 585
Wilmot-Dear, C. M.: Debregeasia ceylanica (Urticaceae): a change of status 468
Wilson, Karen L. *Reviewer:* Revision of the genus Mapania, by D.A. Simpson 376
Wingfield, Robert & Newman, Mark: A new species of Trianthema (Aizoaceae)

Winsnes
from Venezuela 115
Winsnes, Selena Axelrod (Transl. & Ed.): Letters on west Africa and the Slave Trade. Paul Erdmann Isert's journey to Guinea and the Carribean Islands in Columbia (1788). Fontes Historiae Africanae Series Varia VII (Notice) 176
Wrightia 759

Xanthosoma sect. *Acontias* 785
—— cf. *pentaphyllum* 786
Xerophyta 79, 86, 88
—— sect. *Barbacenioides* *75, 77
—— sect. *Vellozioides* *75, 78, *80
—— sect. *Xerophyta* *75, 78, *80
—— *acuminata* (Baker) N.L. de Menezes 78
—— *arabica* (Baker) N.L. de Menezes 78
—— *argentea* (Wild) L.B. Smith & Ayensu 77
—— *capillaris* Baker 78
—— *concolor* L.B. Smith & Ayensu 77
—— *dasylirioides* Baker 78
—— *eglandulosa* H. Perr. 78
—— *equisetoides* Baker 77
—— *eylesii* (Greves) N.L. de Menezes 78
—— *giuliettiae* N. Menezes 77
—— *goetzei* (Harms) L.B. Smith & Ayensu 78
—— *humilis* (Baker) Th. Dur. & Schinz 78
—— *kirkii* (Hemsl.) L.B. Smith & Ayensu 78
—— *nutans* L.B. Smith & Ayensu 78
—— *pinifolia* Lam. 78
—— *retinervis* Baker 77
—— *scabrida T* (Pax) Th. Dur. & Schinz 78
—— *schlechteri* (Baker) N.L. de Menezes 78
—— *schnizleinia* (Hochst.) Baker 78
—— *simulans* L.B. Smith & Ayensu 78
—— *spekei* Baker 77
—— *splendens* (Rendle) N.L. de Menezes 77
—— *squarrosa* Baker 78
—— *suaveolens* (Greves) N.L. de Menezes 78
—— *velutina* Baker 78
—— *villosa* (Baker) L.B. Smith & Ayensu 78
—— *viscosa* Baker 78
—— *zambiana* L.B. Smith & Ayensu 78
Xerospermum intermedium 324
Xylaria 3-4, 35-36, 45
cf. —— 66
? —— pro parte 7
—— *boergesenii* (Ferd. & Winge) P. F. Cannon 47
—— *frustulosa* sec Miller 67

Xylariaceae
Xylariaceae: Rosellinia & Astrocystis (Xylariaceae): new species and generic concepts, T. Læssøe & B.M. Spooner 1
Xylariaceae 8-9, 13, 18, 24, 32-34, 45, 47, 51, 55, 66
—— tribe *Arachnopezizae* Nannf. 3
—— subsect. *Primocinerea* 40
Xylarioideae 40
Xylinabaria Pierre 757-760
—— *esculenta* (A. DC.) Pierre ex Spire 758
—— *minutiflora* Pierre 758, 760, 764
—— *reynaudii* Jumelle 758, 764, 765
Xylinabariopsis Pitard 757-760
—— *napeensis* (Quint.) Metcalfe 764
—— *reynaudii* (Jumelle) Pitard 760, 764-765
Xylinabariopsoides (Tsiang) Lý 758

Yeo, P. F.: Secondary Pollen Presentation. Form, Function and Evolution. Plant Systematics and Evolution Supplementum 6 (Rev.) 836
Yucca 67
Yunnan: A new species of Cyananthus (Campanulaceae) from Yunnan, China, Krishna K. Shrestha 143
Yushania nutakayamensis 24

Zappi, D. C. *Reviewer:* Catalogue of the Flowering Plants and Gymnosperms of Peru, by L. Brazo & J. L. Zarucchi 831
Zhang, B.C. *Reviewer:* British Truffles. A. Revision of British Hypogeous Fungi, by D.N. Pegler, B.M. Spooner & T.W.K. Young 167
Zingiber officinale 67
Zingiberaceae 67
Ziziphus 474
Zygia: Four new species of Zygia (Leguminosae: Mimosoideae), M. de L. Rico 547
Zygia 547, 553-554
—— sect. *Callozygia* 547
—— sect. *Macrophylla* 547, 549, 551
—— sect. *Zygia* 547, 549, 553
—— *biflora* L. Rico *550, †553, 554
—— *bifoliola* 551, 553
—— *bisingula* L. Rico †551, *552, 553
—— *brenesii* 549, 551
—— *confusa* 547, 549, 551, 553
—— *gigantifoliola* 549, 551
—— *palmana* 549, 551
—— *reducta* 554
—— *rhytidocarpa* L. Rico †549, *550, 551
—— *rubiginosa* L. Rico & Q. Jiménez †547, *548, 549